



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Nylon**

Operating Temperature (Max): **105 °C [221 °F]**

Sealable: **No**

Features

Product Type Features

Connector Cover Type	Strain Relief Cover
Sealable	No

Body Features

Primary Product Color	Natural
Primary Product Material	Nylon

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance




[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | [AMP-DUAC](#)




Busbar Connector Contacts(1)




Connector Caps & Covers(1)



Insertion & Extraction Tools(1)



Power Contacts(3)



Rectangular Connector Keying Plugs(1)



Rectangular Connector Locking(1)



Rectangular Power Connectors(6)


Customers Also Bought




TE Part #1658642-1
HDP-20, PLUG, SIZE 1, 9 POSN, CLI



TE Part #206127-1
CPC SPECIAL ASSEMBLY SIZE 17



TE Part #1586037-6
6P VERT HDR VAL-U-LOK V2




TE Part #1-104481-2
SHORT POINT RECP CONT LP



TE Part #104257-1
02 MTE RCPT HSG SR LATCH .100



TE Part #323061
TERMINAL, SOLIS R HR 12-10 8



TE Part #1-104480-2
SHORT POINT CONT 15 DPLX
STMPD LF



TE Part #206458-1
CPC RECPT ASSEMBLY SIZE 11-8



TE Part #206552-1
Cable/Panel Mount Connector, CPC
Series 1

Documents



Product Drawings

06P DUAC STRAIN RELIEF

English

CAD Files

Customer View Model

[ENG_CVM_1375618-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1375618-1_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1375618-1_A.2d_dxf.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1375618-1_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1375618-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1375618-1_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY

English

Product Specifications

Application Specification

English

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English
