



MQS

TE Internal #: 1379029-1  
Housing for Female Terminals, Wire-to-Device, 4 Position, .1 in [2.54 mm] Centerline, Black, Wire & Cable, Cable Mount (Free-Hanging), MQS

[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING



Connector System: **Wire-to-Device**  
Number of Positions: **4**  
Connector & Housing Type: **Housing for Female Terminals**  
Centerline (Pitch): **2.54 mm [ .1 in ]**  
Sealable: **No**

[All MQS, CONNECTOR HOUSING \(573\)](#)

Features

Product Type Features

|                                   |                              |
|-----------------------------------|------------------------------|
| Mixed & Hybrid Connector          | No                           |
| Connector Shape                   | Rectangular                  |
| Connector System                  | Wire-to-Device               |
| Connector & Housing Type          | Housing for Female Terminals |
| Sealable                          | No                           |
| Connector & Contact Terminates To | Wire & Cable                 |
| Primary Locking Feature           | On the Terminal              |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Positions | 4 |
| Number of Rows      | 1 |

Electrical Characteristics

|                   |        |
|-------------------|--------|
| Operating Voltage | 24 VDC |
|-------------------|--------|

Body Features

|                       |       |
|-----------------------|-------|
| Cable Exit Angle      | 180°  |
| Primary Product Color | Black |

Contact Features

|  |  |
|--|--|
|  |  |
|--|--|



|                  |                 |
|------------------|-----------------|
| Contact Size     | .63mm           |
| Contact Type     | Receptacle      |
| Mating Tab Width | .63 mm[.025 in] |

Mechanical Attachment

|                             |                            |
|-----------------------------|----------------------------|
| Terminal Position Assurance | Yes                        |
| Strain Relief               | Without                    |
| Mating Alignment Type       | Keyed                      |
| Mating Alignment            | With                       |
| Connector Mounting Type     | Cable Mount (Free-Hanging) |

Housing Features

|                    |                |
|--------------------|----------------|
| Housing Material   | PBT GF         |
| Centerline (Pitch) | 2.54 mm[.1 in] |

Dimensions

|                  |                  |
|------------------|------------------|
| Connector Height | 10.7 mm[.421 in] |
| Product Width    | 17.6 mm[.693 in] |
| Product Length   | 16.5 mm[.65 in]  |

Usage Conditions

|                             |                           |
|-----------------------------|---------------------------|
| Operating Temperature (Max) | 150 °C[302 °F]            |
| Operating Temperature Range | 40 – 150 °C[-40 – 302 °F] |

Industry Standards

|                        |         |
|------------------------|---------|
| UL Flammability Rating | UL 94HB |
|------------------------|---------|

Packaging Features

|                  |     |
|------------------|-----|
| Packaging Method | Box |
|------------------|-----|

Other

|                                      |    |
|--------------------------------------|----|
| Serviceable                          | No |
| Connector Position Assurance Capable | No |

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|   |   |
|---|---|
| EU RoHS Directive 2011/65/EU                  | Compliant                               |
| EU ELV Directive 2000/53/EC                   | Compliant                               |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)  
Candidate List Declared Against: JUNE 2023 (235)  
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-SIGH262  
Signal Header

TE Part # 144969-1  
MQS0,63 Sn rec LL unseal. 0,2-0,6

Also in the Series | MQS

Automotive Connector Caps & Covers (138)

Automotive Connector EMC Shielding (3)

Automotive Connector Locks & Position Assurance(30)

Automotive Housings(507)



Automotive Terminals(104)




Connector Seals & Cavity Plugs(31)



Insertion & Extraction Tools(42)



Other Automotive Connector Accessories(10)



PCB Headers & Receptacles(213)

Customers Also Bought



TE Part #1718762-3  
MCON 1.2 LL TAB SWS AG



TE Part #1379029-3  
MQS, CONNECTOR HOUSING



TE Part #1-1801178-2  
3W RECEPTACLE HP CONNECTOR  
BLUE



TE Part #1801823-3  
4POS,MCON 0.5 CB,REC HSG,BLUE,  
ASSY,SLD



TE Part #2236060-1  
COVER,ASSY



TE Part #3-2209521-1  
REC CONN CVR ASSY,46POS,MCON  
12,90 DEG



TE Part #1544266-2  
FUSE BOX ASSY HARD WIRED BFH12  
WO BUSBAR

Documents

Product Drawings

4POS MQS REC

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_1379029-1\_A.2d\_dxf.zip

English

3D PDF



3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1379029-1\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1379029-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[Micro Quadlok Interconnection System \(MQS\)](#)

English

Product Specifications

[Process Specification](#)

English

Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English