

TH/.025 Connector System

TE Internal #: 1379674-2


Housing for Male Terminals, Wire-to-Wire, 4 Position, .087 in [2.2 mm] Centerline, Gray, Wire & Cable, Signal, TH/.025 Connector

System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > TH/.025 CONNECTOR SYSTEM, HOUSING



Connector System: Wire-to-Wire

Number of Positions: 4

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 2.2 mm [.087 in]

Sealable: No

All TH/.025 CONNECTOR SYSTEM, HOUSING (217)

Features

Product Type Features

Froduct Type reatures	
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	4
Number of Rows	1
Electrical Characteristics	
Operating Voltage	14 VDC
Nominal Voltage Architecture	14 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Gray

2

Connector & Keying Code



Contact Features	
Contact Size	.63mm
Contact Type	Tab
Mating Tab Width	.64 mm[.025 in]
Contact Current Rating (Max)	7.5 A
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT
Centerline (Pitch)	2.2 mm[.087 in]
Dimensions	
Connector Height	11.75 mm[.463 in]
Product Width	33.4 mm[1.315 in]
Product Length	14 mm[.551 in]
Jsage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C [158 °F][167 °F][176 °F][185 °F][194 °F][212 ° F]
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]
Operation/Application	
Circuit Application	Signal
ndustry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	100
Packaging Method	Box
Other	



Connector Position Assurance Capable

No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | TH/.025 Connector System





Automotive Connector Caps & Covers (6)



Automotive Connector Locks & Position Assurance(1)



Automotive Housings(224)



Automotive Terminals(26)



Connector Seals & Cavity Plugs(2)



Insertion & Extraction Tools(4)



Other Automotive Connector Accessories(5)



PCB Headers & Receptacles(163)

Customers Also Bought



TE Part #170140-1 187 FASTON,FLAG,REC.,16-20 AWG, BR



TE Part #1-964300-3
TIMER, RECEPTACLE AND TAB



TE Part #1674742-1
TH/.025 CONNECTOR SYSTEM,
RECPT AND TAB



TE Part #1-1803019-1 CRIMPER, INSULATION O



TE Part #2-691157-6 BLADE, SHEAR



TE Part #2305881-1 CVTY PLUG,090 SERIES,CVTY DIA,1, GRY



TE Part #7-2151803-7
OCEAN_2.0_SPARE_PART_KIT066F090OV

TE Part #2161328-1 HEX HEAD, FLANGED, M5x8mm LONG

Documents

Product Drawings

4W TAB HSG CODING 2 GRAY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1379674-2_A_c-1379674-2-a.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_1379674-2_A_c-1379674-2-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1379674-2_A_c-1379674-2-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

TH/.025 Connector Series

English

Product Specifications

Packaging specification for TH Tab en Plug (TH TES)

English

Product Specification

English

Product Environmental Compliance

MD_1379674-2_031520181237_dmtec

English

MD_1379674-2_031520181237_dmtec

English

Instruction Sheets

Instruction Sheet (non U.S.)

English