

## Potter & Brumfield | Potter & Brumfield IAC AC Input Module

TE Internal #: 1393028-4

Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit


Board, Potter & Brumfield IAC AC Input Module

View on TE.com >





Relays, Contactors & Switches > Relays > Power Relays > SSR PCB Mount, Slim Relays











Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)
Relay Mounting Type: Printed Circuit Board

All SSR PCB Mount, Slim Relays (6)

## **Features**

## **Product Type Features**

Output Type	DC
Power Relay Type	Solid State
Configuration Features	
Output Switching	Zero
Electrical Characteristics	
Output Current Rating	.05 A
Input Voltage Typical	120 VAC
Output Voltage (Max)	30 V
Output Voltage Rating (DC Relays)	30 VDC
Input Voltage	90 – 140 VAC
Output Current (Min)	0 A
Logic Voltage	5 VDC
Insulation Initial Dielectric Between Contacts & Coil	4000 Vrms

## **Body Features**



Product Weight	35 g[1.38 oz]
Case Color	Yellow
Contact Features	
Switch Arrangement	1 Form A (SPST-NO)
Contact Arrangement	1 Form A (SPST-NO)
Termination Features	
Relay Termination Type	Printed Circuit Terminals
Mechanical Attachment	
Coupling	Optical
Relay Mounting Type	Printed Circuit Board
Housing Features	
Relay Housing Style	Industry Standard
Dimensions	
Dimensions (L x W x H) (Approximate)	43.1 x 15.2 x 31.7 mm[1.697 x .598 x 1.248 in]
Usage Conditions	
Operating Temperature Range	-30 – 80 °C
Operation/Application	
R-Switch & slimSSR Relays	No

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)  Candidate List Declared Against: JUNE 2023 (235)  SVHC > Threshold:  Pb (88% in Component Part)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



#### Solder Process Capability

Wave solder capable to 260°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | Potter & Brumfield IAC AC Input Module



# **Customers Also Bought**























## **Documents**

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1393028-4\_C1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1393028-4\_C1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1393028-4\_C1.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

IAC\_Datasheet

English

IAC AC Input Module

English

## **Agency Approvals**

UL

English