
W93-X112-15 - ACTIVE

Potter & Brumfield | Potter & Brumfield W9

TE Internal #: 1393255-2 Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 3 Pole, Potter & Brumfield W9 View on TE.com >



Relays, Contactors & Switches > Circuit Breakers



Circuit Breaker Type: Magnetic

- Circuit Function: Series Trip
- Illuminated: No
- Actuator Color: Black
- Operating Voltage: 277 VAC

Features

Product Type Features

Illumination Type	No Light
Actuator Type	Toggle
Terminal Configuration	10-32 Stud
Circuit Breaker Type	Magnetic

luminated
 annacoa

No

\mathbf{c}	r• • •		
Cont	figuratio	on ⊧ea	tures
00111	garaci		

	2.28 x 2.065 in			
Circuit Function	Series Trip			
Number of Poles	3			
Electrical Characteristics				
Operating Voltage	277 VAC			
Current Rating	15 A			
Interrupt Capacity	5000A @ 277VAC			
Body Features				
Actuator Color	Black			
Contact Features				
Trip Time at 200%	2.2 – 20 seconds			
Mechanical Attachment				

C For support call+1 800 522 6752

09/18/2023 07:32PM | Page 1

W93-X112-15

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 3 Pole, Potter & Brumfield W9



Mounting Options	6-32 Mounting Threads
Dimensions	
Product Height	63.5 mm[2.5 in]
Identification Marking	
Stamped Marking Type	International I/O
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component part) Aticle Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or $CI > 900$

Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

W93-X112-15

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 3 Pole, Potter & Brumfield W9





Also in the Series | Potter & Brumfield W9



Customers Also Bought



TE Part #1241434-1	TE Part #1393118-2	TE Part #3-1393118-8	TE Part #2-1393254-3
121pos hybrid MQS .63 header 90deg	KUP-14A55-24=KU	KUP-14D55-24=KU	W91-X112-15=M6/M7/M9/W6/W7



TE Part #2213763-1 AV19 SPM 5A NO LED



TE Part #YDTS20W21-41SNV001

RECP ASSY



TE Part #646506-000

S02-02-R



TE Part #1218434-4 R/A RCP ASSY 37 POS SER 109

TE Part #6-1393254-7	TE Part #2358593-1
W92-X112-1=M6/M7/M9/W6/W7	RECEPTACLE

W93-X112-15

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 15A Current Rating, 3 Pole, Potter & Brumfield W9



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_1393255-2_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1393255-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1393255-2_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages W6/W9 Magnetic Hydraulic Circuit Breaker

English

Agency Approvals UL

English