



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cavity Plug**

Primary Product Material: **PA**

Primary Product Color: **Natural**

Operating Temperature (Max): **120 °C [248 °F]**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Cavity Plug
----------------------------	-------------

Body Features

Primary Product Material	PA
Primary Product Color	Natural

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Packaging Features

Packaging Quantity	10000
Packaging Method	Bag

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)



Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-M8793-CH8172 MQS, CONNECTOR HOUSING	 TE Part # 2209544-9 60P,PLUG ASSY,NORMAL CODING	 TE Part # 2209545-1 94P,MQS CB,REC HSG,ASSY,SEALED	 TE Part # 1-1355133-1 HEBEL F.AUFNAHM-GEH
 TE Part # 1394909-2 SHIELD, 180 DEG., 94POSN. RECEPTACLE HSG	 TE Part # 1-1355122-2 SHIELD, 60POSN. RECEPTACLE HOU	 TE Part # 1-1355133-2 HEBEL F.AUFNAHM-GEH	 TE Part # 2209544-1 60P,MQS CB,REC HSG,ASSY,SEALED
 TE Part # 7-1670425-1 COVER MIXED,0,FOR 94POS. HSG	 TE Part # 9-2289227-1 CONNECTOR, 60POS	 TE Part # 9-2289228-1 CONNECTOR, 94POS	 TE Part # 3-2289228-1 CONNECTOR, 94POS



TE Part # 7-2289227-1
CONNECTOR, 60POS

TE Part # 7-2289228-1
CONNECTOR, 94POS

Also in the Series | AMP MCP Connector System

Automotive Connector Caps & Covers
(25)

Automotive Connector Locks & Position Assurance(7)

Automotive Housings(360)

Automotive Terminals(135)

Connector Seals & Cavity Plugs(7)

Insertion & Extraction Tools(13)

Other Automotive Connector Accessories(2)

PCB Headers & Receptacles(30)

Customers Also Bought

TE Part #3-1534904-4
MQS, CONNECTOR HOUSING

TE Part #5-1703282-1
MQS, RECEPTACLE AND TAB

TE Part #964322-1
TIMER, RECEPTACLE AND TAB

TE Part #928927-4
RINGTONGUE

TE Part #965144-3
MQS SICHERNGSDECKEL

TE Part #965657-1
KONTAKTSICHERUNG



Documents

Product Drawings
SEALING PLUG 1,5MM

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_1394872-1_A_c-1394872-1-a.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_1394872-1_A_c-1394872-1-a.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_1394872-1_A_c-1394872-1-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.