1410964-1 - ACTIVE

MULTIGIG RT | MULTIGIG RT 2

TE Internal #: 1410964-1 High Speed Backplane Connectors, 135 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 16 Column, MULTIGIG RT 2

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Connector System: Board-to-Board Number of Positions: 135 Row-to-Row Spacing: 1.35 mm [.053 in] Mating Alignment: With Mating Alignment Type: Polarization

Features

Product Type Features

Applied to Printed Circuit Board Type

Connector System

Backplane

Board-to-Board

PCB Connector Assembly Type	PCB Mount Receptacle		
Shroud Style	Unshrouded		
Connector & Contact Terminates To	Printed Circuit Board		
Configuration Features			
Card Slot Centerline	20.3 mm[.8 in]		
Backplane Architecture	Traditional Backplane		
Number of Positions	135		
Number of Rows	9		
Number of Columns	16		
PCB Mount Orientation	Vertical		
Guide Location	Center		
Contact Features			
Contact Current Rating (Max)	1 A		
Mechanical Attachment			
Mating Alignment	With		

1410964-1

High Speed Backplane Connectors, 135 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 16 Column, MULTIGIG RT 2



Mating Alignment Type	Polarization		
Connector Mounting Type	Board Mount		
Housing Features			
Number of Shrouded Sides	0		
Centerline (Pitch)	1.8 mm[.071 in]		
Dimensions			
Row-to-Row Spacing	1.35 mm[.053 in]		
Usage Conditions			
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]		
Operation/Application			
Circuit Application	Power & Signal		
Product Compliance			
For compliance documentation, visit the product page on TE.com>			
EU RoHS Directive 2011/65/EU	Not Compliant		

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on


1410964-1

High Speed Backplane Connectors, 135 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 16 Column, MULTIGIG RT 2




requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series MULTIGIG RT 2



Customers Also Bought



1410964-1

High Speed Backplane Connectors, 135 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 16 Column, MULTIGIG RT 2





Documents

Product Drawings MULTIGIG RT T2 .8" BP FULL CNT

English

CAD Files

Customer View Model ENG_CVM_CVM_1410964-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1410964-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1410964-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

High Speed Backplane Connectors catalog - MULTIGIG RT Connector

English

Board-Level Interconnects for Rugged Embedded Computing Brochure

English