Buchanan | Buchanan 6 Series

TE Internal #: 1437652-5 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 9

Centerline (Pitch): 9.53 mm [.375 in]

Features

Product Type Features

Block Style	Flat Bottom	
Connector System	Wire-to-Board	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Levels	1	
Number of Positions	9	
Number of Rows	1	
Electrical Characteristics		
Operating Voltage	600 V	
Body Features		
Primary Product Color	Black	
Product Orientation	Right Angle	
Barrier Strip Style	Tri-Barrier	
Contact Features		

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



PCB Contact Termination Area Plating Material	Tin	
Contact Base Material	Copper Alloy	
Contact Current Rating (Max)	25 A	
Termination Features		
Bottom Termination Type	Printed Circuit Pin	
Mechanical Attachment		
Screw Head Type	Wire Clamp Combo Head	
Screw Plating Material	Zinc Chromate	
Screw Material	Steel	
Top Termination Type	Wire Clamp Combo Head	
Mounting Options	None	
Thread Size	6-32	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Thermoplastic	
Centerline (Pitch)	9.53 mm[.375 in]	

Dimensions

Product Length	87.27 mm[3.436 in]	
Wire Size	.3 – 3 mm²	
Usage Conditions		
Operating Temperature Range	0-105 °C[0-221 °F]	
Operation/Application		
Circuit Application	Power	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	100	
Other		
Terminal Blocks & Strips Comment	Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.	

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Saldar Pracasa Canability	M_{2} and M_{2} and M_{2} and M_{2}	

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Buchanan 6 Series

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series





Customers Also Bought



HARDWARE KIT, DRAWER CONN	DRD10E04=ROT DIP,10P	RECEPT HSG,12 POSN,METRIMATE	RECPT HSG,8 POWER,METRIMATE
Single Wall			
	-E TE		
TE Part #562243-000 82A0111-16-9	TE Part #2314578-2 R/A HEADER, MULTI-BEAM XLE, VITA 62		

Documents

Product Drawings 6PCR-09-006=#6 TRIBARRIER

English

CAD Files

Customer View Model

ENG_CVM_CVM_1437652-5_N.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



3D

Customer View Model ENG_CVM_CVM_1437652-5_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1437652-5_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English