


TE Internal #: 1438246-1 Splices, Butt Splice, 16 – 18 AWG Wire Size, Splice Capacity 1, Brass, 0 Serration, Length .58 in [14.7 mm], Reel, Open, Stranded Wire, Discrete Wire

## View on TE.com >



Terminals & Splices > Splices



Wire Size: 16 – 18 AWG

Sealable: No

Splice Capacity: 1

Compatible Insulation Diameter Range: 26 mm [ 1.02 in ]

Contact Base Material: Brass

# Features

# Product Type Features

Splice Accessory Type	Splice	
Sealable	No	
Splice Type	Butt Splice	
Compatible With Discrete Wire Type	Stranded	
Wire Insulation Support Retention Type	Insulation Piercing	
Configuration Features		
Splice Capacity	1	
Number of Serrations	0	
Compatible With Wire & Cable Type	Discrete Wire	
Contact Features		
Contact Base Material	Brass	
Barrel Type	Open	
Mechanical Attachment		
Wire Insulation Support	With	

# 1438246-1

Splices, Butt Splice, 16 – 18 AWG Wire Size, Splice Capacity 1, Brass, 0 Serration, Length .58 in [14.7 mm], Reel, Open, Stranded Wire, Discrete Wire



### Dimensions

Wire Size	16 – 18 AWG
Compatible Insulation Diameter Range	26 mm[1.02 in]
Product Length	14.7 mm[.58 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Method	Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# 1438246-1

Splices, Butt Splice, 16 – 18 AWG Wire Size, Splice Capacity 1, Brass, 0 Serration, Length .58 in [14.7 mm], Reel, Open, Stranded Wire, Discrete Wire



# **Compatible Parts**



-TE

TE Part # 1217881-1 

TE Part # 63723-2

RCPT TWISTLOK 20-16 0255 TPPHBZ

TE Part # 61280-1 

-ETE

TE Part # 61684-3 CDECIAL TAD TAD TA 



TE Part # 61684-5 CDECIAL TAD TAD

250 FUSE RCPT 020PTPBR	BUTTON CONTACT 20-16 AWG BR	SPECIAL TAB TAB TNSL WIRE GPBR	SPECIAL TAB TAB TNSL WIRE NTPBR
10 CON			
= TE			

# Customers Also Bought



# 1438246-1

Splices, Butt Splice, 16 – 18 AWG Wire Size, Splice Capacity 1, Brass, 0 Serration, Length .58 in [14.7 mm], Reel, Open, Stranded Wire, Discrete Wire







# Documents

Product Drawings SPLICE, BUTT, HEATER WIRE 18-16 AWG BR

English

**CAD** Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1438246-1\_F.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1438246-1\_F.3d\_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_1438246-1_F.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Environmental Compliance TE Material Declaration

English