

#### AMP Power Series - 75

TE Internal #: 1445715-7

Rectangular Power Connectors, Housing, Plug / Receptacle, Wireto-Wire, 1 Position, Wire & Cable, UL 94V-0, AMP Power Series - 75

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors











Rectangular Power Connector Type: Housing
Connector & Housing Type: Plug, Receptacle

Connector System: Wire-to-Wire

Contact Retention Within Housing

Number of Positions: 1

Sealable: No

### **Features**

### **Product Type Features**

Froduct Type reatures	
Compatible With Discrete Wire Type	Stranded
Rectangular Power Connector Type	Housing
Connector & Housing Type	Plug, Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	600 VDC
Contact Features	

Without

Blade

Contact Type



### **Termination Features**

Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Color	Black
Housing Material	Polycarbonate
Dimensions	
Connector Height	17.15 mm[.675 in]
Product Width	17.15 mm[.675 in]
Product Length	48 mm[1.89 in]
Wire Size	25656 – 27629 CMA
Usage Conditions	
Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Rating	Recognized
Agency/Standard	UL
Approved Standards	UL E28476
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Packaging Features	
Packaging Quantity	300
Packaging Method	Bag & Box

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



### Also in the Series | AMP Power Series - 75



# Customers Also Bought






TE Part #647879-1 SERIES 50&75 CONTACT,10-12 AWG



TE Part #34070 PG BUTT SPLC 22-16COMM22-18MIL



TE Part #61365-1 250 FASTON TAB TPBR



TE Part #323062 TERMINAL,SOLIS R HR 12-10 10



TE Part #42460-2 FF 250 TAB 18-14AWG TPBR



TE Part #7-1393246-6 W23-X1A1G-50=W23/W31



TE Part #1423674-6 W54-XB1A4A10-10=CKTBKR,THERM,P



TE Part #DT06-12SA-CE06 PLG, 12P, GRY, E, SEAL RET, ENH KEY, A



TE Part #T4061320004-004
M8 CABLE ST FEMALE 3M 4POS PUR
CABLE



TE Part #927892-1 FF 110 TAB 0.5-1 MM2 PTP CUSN30

### **Documents**

# Product Drawings

75A HSG SUBASY BLACK

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1445715-7\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1445715-7\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1445715-7\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages



### POWER\_CONNECTORS\_CATALOG\_SEC02\_CABLE\_MOUNTED

English

2\_PIECE\_POWER\_CONNECTORS\_qrg\_4-1773458-1

English

**Product Specifications** 

Application Specification

English