


#### PIDG

TE Internal #: 152873 Closed Ring Tongue Terminal, 14 – 12 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

#### View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 3260 – 6800 CMA

Stud Size: #8, M4

### Features

#### **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Insulation Sleeve Color	White
Stripe Color	White
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin



Closed Ring Tongue Terminal, 14 – 12 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



#### Mechanical Attachment

Wire Insulation Support	With			
Dimensions				
Wire Size	3260 – 6800 CMA			
Stud Diameter	4.3 mm[.171 in]			
Tongue Thickness	.79 mm[.031 in]			
Product Length	22.02 mm[.865 in]			
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]			
Compatible Insulation Diameter Range	2.03 – 3.18 mm[.08 – .125 in]			
Usage Conditions				
Insulation Option	Partially Insulated			
Operating Temperature Range	105 °C[221 °F]			
Operation/Application				
Compatible With Wire Base Material	Copper			
Compatible With Wire Plating Material	Tin			
Industry Standards				
Government Qualified Terminal	No			

## Packaging Features

Packaging Quantity	500	
Packaging Method	Loose Piece	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	

Closed Ring Tongue Terminal, 14 – 12 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**




# Also in the Series | PIDG


Compression Connectors(17)	Crimp Terminal Housings(1)	Crimp Wire Pins, Tabs & Ferrules(41)	Hand Crimping Tools(2)
		and the second sec	
Knife Disconnects(11)	PCB Terminals(7)	Quick Disconnects(49)	Ring Terminals(607)

Closed Ring Tongue Terminal, 14 – 12 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





# Customers Also Bought



RECP ASSY	PLUG ASSY	24 MODIV HSG COMP DR .100 POL	M83513/03-B04C, MCKS-C2-B- 15P6G9-36.0
= TE			
TE Part #769576-000 URHR-1			

# Documents

Product Drawings 14-12 PIDG NYLON RT NO 8 WHITE

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_152873\_J.2d\_dxf.zip

Closed Ring Tongue Terminal, 14 – 12 AWG, #8 / M4 Stud Size, 4.3 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



English

Customer View Model ENG\_CVM\_CVM\_152873\_J.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_152873\_J.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD\_152873\_061420171220\_dmtec

English

MD\_152873\_061420171220\_dmtec

English