

AMP | MQS TE Internal #: 1534027-1 Automotive Connector Locks & Position Assurance, TPA (Terminal Position Assurance), Black, PBT GF, -40 – 120 °C [-40 – 248 °F], MQS View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Connector & Contact Retention Accessory Type: TPA (Terminal Position Assurance)

Primary Product Color: Black

Primary Product Material: **PBT GF**

Operating Temperature Range: -40 – 120 °C [-40 – 248 °F]

Features

Product Type Features

Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)				
Body Features					
Primary Product Color	Black				
Primary Product Material	PBT GF				

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]				
Industry Standards					
UL Flammability Rating	UL 94HB				
Packaging Features					
Packaging Quantity	30000				
Packaging Method	Package				
Other					
Serviceable	Yes				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				

1534027-1

Automotive Connector Locks & Position Assurance, TPA (Terminal Position Assurance), Black, PBT GF, -40 – 120 °C [-40 – 248 °F], MQS



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
	Not proble for colder process conclusity

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | MQS



1534027-1

Automotive Connector Locks & Position Assurance, TPA (Terminal Position Assurance), Black, PBT GF, -40 – 120 °C [-40 – 248 °F], MQS







PCB Headers & Receptacles(213)

Customers Also Bought



TE Part #1-1534113-1 MQS, CONNECTOR HOUSING	TE Part #1534112-1 MQS RETAINER FOR 2POS REC.HSG	TE Part #160916-3 250 FASTON,REC.,17-14 AWG,PB	TE Part #6-928918-1 MQS0,63 Sn tab LL unseal. 0,2-0,35
11/1/			
TE Part #6-1355134-1	TE Part #2112668-1	TE Part #2278770-1	TE Part #2112674-1
VERRIEGLUNG F94P	23POS MIXED MQS REC	4P SOCKET HOUSING	

TE Part #2112675-2

Documents

1534027-1

Automotive Connector Locks & Position Assurance, TPA (Terminal Position Assurance), Black, PBT GF, -40 – 120 °C [-40 – 248 °F], MQS



Product Drawings

MQS VERRIEGLUNG F2P

English

CAD Files

Customer View Model ENG_CVM_CVM_1534027-1_A.2d_dxf.zip

English

3D PDF 3D

Customer View Model ENG_CVM_CVM_1534027-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1534027-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English