NG Power Terminals and Connectors, NG1

TE Internal #: 1544334-1

Housing for Female Terminals, Wire-to-Wire, 2 Position, .472 in [12 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-

Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Wire

Number of Positions: 2

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 12 mm [.472 in]

Sealable: No

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	13 VDC
Nominal Voltage Architecture	13 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	Neutral

Contact Features



Contact Size	8mm
Contact Type	Receptacle
Mating Tab Width	8 mm[.314 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	12 mm[.472 in]
Dimensions	
Connector Height	25 mm[.984 in]
Product Width	65.4 mm[2.575 in]
Product Length	31.8 mm[1.252 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	800
Packaging Method	Box
Other	
Serviceable	Yes
Connector Position Assurance Capable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


































Also in the Series | NG Power Terminals and Connectors











Also in the Series | NG1





Automotive Connector Caps & Covers



Automotive Housings(44)



Automotive Terminals(19)






Insertion & Extraction Tools(12)

Customers Also Bought



Timer Connector Housing



025 I/O CAP HSG ASSY 40P



4POS,PIN DIA 0.6,HEADER ASSY, CODE A



32P MQS header





HEADER ASSEMBLY FOR HVA630



CSJ12 TERMINAL CRIMP 90D, **ASSEMBLLY**

TE Part #1-2328746-1 2 POS 180 DEG HEADER ASSY VO

Documents

Product Drawings PL 2V 8MM NG1 MONT

English

CAD Files

3D PDF

English

Customer View Model ENG_CVM_1544334-1_D.3d_igs.zip Housing for Female Terminals, Wire-to-Wire, 2 Position, .472 in [12 mm] Centerline, Black, Wire & Cable, Signal, Cable Mount (Free-Hanging), Hybrid



English

Customer View Model

ENG_CVM_1544334-1_D.3d_stp.zip

English

Customer View Model

ENG_CVM_1544334-1_D.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

French

Instruction Sheets

Instruction Sheet (non U.S.)

English