

AMP | AMP CPC TE Internal #: 1546350-2 Unscreened, Cable Clamp & Body, .703 in [17.86 mm] Cable Entry, Thermoplastic, Right Angle, Shell Size 23, AMP CPC

#### View on TE.com >

Connectors > Connector Accessories > Connector Backshells > CPC Cable Clamps



Connector Backshell Product Style: Unscreened

Connector Backshell Product Type: Cable Clamp & Body

Cable Entry Diameter: 17.86 mm [.703 in ]

E TE

Primary Product Material: Thermoplastic

Body Orientation: Right Angle

All CPC Cable Clamps (25)



## Features

#### Product Type Features

Connector Backshell Product Style	Unscreened
Connector Backshell Product Type	Cable Clamp & Body
Body Features	
Primary Product Color	Black
Primary Product Material	Thermoplastic
Mechanical Attachment	
Thread Size	1-3/8-18 UNEF-2B
Housing Features	
Body Orientation	Right Angle
Compatible With Connector Shape	Circular
Dimensions	
Cable Entry Diameter	17.86 mm[.703 in]

Unscreened, Cable Clamp & Body, .703 in [17.86 mm] Cable Entry, Thermoplastic, Right Angle, Shell Size 23, AMP CPC



Operation/Application	
Compatible With Connector Shell Size	23
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1
Packaging Method	Individual
Product Compliance	
Product Compliance	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com>	Compliant Compliant
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant

ppm.

#### Solder Process Capability

### Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**


Unscreened, Cable Clamp & Body, .703 in [17.86 mm] Cable Entry, Thermoplastic, Right Angle, Shell Size 23, AMP CPC








## Also in the Series AMP CPC




Unscreened, Cable Clamp & Body, .703 in [17.86 mm] Cable Entry, Thermoplastic, Right Angle, Shell Size 23, AMP CPC





# Customers Also Bought



## Documents

Product Drawings R/A CABLE CLAMP KIT,SZ 23,CPC

English

#### **CAD** Files

**Customer View Model** 

ENG\_CVM\_CVM\_1546350-2\_C1.3d\_igs.zip

English

**Customer View Model** 

**C** For support call+1 800 522 6752

Unscreened, Cable Clamp & Body, .703 in [17.86 mm] Cable Entry, Thermoplastic, Right Angle, Shell Size 23, AMP CPC



ENG\_CVM\_CVM\_1546350-2\_C1.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_1546350-2\_C1.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages AMP Circular Connectors for Commercial Signal & Power Applications

English