# 1564411-2 - ACTIVE

### AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1564411-2 Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series

#### View on TE.com >

#### Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >



Heavy Duty Sealed Connector Series Fixing Slides

Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: **PBT GF** 

Primary Product Color: Red

Number of Positions: 4, 12, 15, 16, 18

Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

All Heavy Duty Sealed Connector Series Fixing Slides (33)



## Features

### **Product Type Features**

Automotive Connector Accessory Type	Mounting Clip	
Configuration Features		
Number of Positions	4, 12, 15, 16, 18	
Body Features		
Primary Product Material	PBT GF	
Primary Product Color	Red	
Usage Conditions		
Compatible With Connector Style	Housing For Male Terminals	
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]	
Industry Standards		
UL Flammability Rating	UL 94V-0	

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series



### Packaging Features

Packaging Quantity	1200
Packaging Method	Carton
Other	
Serviceable	Yes

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series





TE Part # CAT-H3399-CH8172 Heavy Duty Sealed Connector Series Housings



TE Part # 2-1564536-1 4POS,TAB5.8X0.8,TABHSG,ASSY, COD. B




TE Part # 9-2348789-1 HD MATEnet 2+6 TAB ASSY, GRP E, FLANGED



TE Part # 9-2348789-2 HD MATEnet 2+6 TAB ASSY, GRP E, FLANGED



## Also in the Series | Heavy Duty Sealed Connector Series










Data Connectivity Headers(2)

Automotive	Connector	caps a c	00013
(25)			

Automotive Housings(207)

Connector Seals & Cavity Plugs(5)




# Customers Also Bought



Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series





TE Part #EK3008-000 100P160-19-1-B-WR4-19

## Documents

Product Drawings SLIDE, TAB HSG GROUP E

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1564411-2\_L.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1564411-2\_L.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1564411-2\_L.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HDSCS Catalog English

CONNECTOR SELECTOR

English

**Product Specifications** 

**Application Specification** 

English

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series

