TE Internal #: 1565322-1


PCB Spring Contact, Preloaded - C-Clip, Uncompressed Height 1.6


mm [.063 in], Length 3.2 mm [.126 in], Width .75 mm [.03 in]

View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > PCB Spring Contacts











Spring Finger Type: Preloaded - C-Clip

Scalable: No

Side Protected: No

Uncompressed Height: 1.6 mm [.063 in]

Product Length: 3.2 mm [.126 in]

## **Features**

## **Product Type Features**

Spring Finger Type	Preloaded - C-Clip
Scalable	No
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

## **Configuration Features**

Side Protected	No
Number of Positions	1

#### **Contact Features**

Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Gold
Contact Base Material	Copper Alloy
Contact Working Range (Low)	1 mm[.039 in]
Contact Working Range (High)	1.3 mm[.051 in]
Point of Contact Area Plating Material	Gold
Contact Current Rating (Max)	1.5 A



#### **Dimensions**

Uncompressed Height	1.6 mm[.063 in]
Product Length	3.2 mm[.126 in]
Product Width	.75 mm[.03 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	5000

Tape & Reel

## **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



## Compatible Parts




# Customers Also Bought





















## **Documents**

Product Drawings
SHIELD FINGER 1608

English

CAD Files
3D PDF

3D



**Customer View Model** 

ENG\_CVM\_CVM\_1565322-1\_D1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1565322-1\_D1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1565322-1\_D1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## Datasheets & Catalog Pages

Products for Mobile Equipment

English

**Product Specifications** 

Shield Finger 1608

Japanese

**Product Specification** 

Japanese

**Product Environmental Compliance** 

**TE Material Declaration** 

English