1571983-8 - ACTIVE

Alcoswitch | Alcoswitch DIP, Alcoswitch DIP GDH TE Internal #: 1571983-8 DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP, Alcoswitch DIP View on TE.com >



Relays, Contactors & Switches > Switches > DIP & SIP Switches



DIP & SIP Switch Product Type: Switch DIP & SIP Switch Contact Mating Area Plating Material: Gold DIP & SIP Switch Housing Color: Black DIP & SIP Switch Housing Material: Polyphenylene Sulfide (PPS) Auto-Insertable: No

Features

Product Type Features

DIP & SIP Switch Product Type	Switch
Sealed DIP & SIP Switch	Yes
DIP & SIP Switch Type	DIP
Actuator Style	Recessed Rocker

Configuration Features

Number of Positions	6
Number of Switches	6
Configuration (Pole-Throw)	Single Pole - Single Throw
Electrical Characteristics	
DIP & SIP Switch Voltage Rating	50 VDC
Body Features	
Seal Type	Таре
Contact Features	
Solder Tail Contact Plating	Gold over Nickel
DIP & SIP Switch Contact Mating Area Plating Material	Gold
Auto-Insertable	No
DIP & SIP Switch Contact Current Rating	.1 A
Contact Base Material	Copper Alloy

DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP, Alcoswitch DIP



Termination Features Outside L Termination Style Mechanical Attachment DIP & SIP Switch Mounting Type Surface Mount **Housing Features** Low Profile Yes DIP & SIP Switch Housing Color Black DIP & SIP Switch Housing Material Polyphenylene Sulfide (PPS) DIP & SIP Switch Centerline 1.27 mm[.05 in] Dimensions 8.74 mm[.344 in] Length Usage Conditions Operating Temperature Range -30 – 85 °C Industry Standards UL Flammability Rating UL 94V-0 Packaging Features

Packaging Method T	Fube
--------------------	------

Packaging Quantity

50

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

C For support call+1 800 522 6752

09/21/2023 09:57AM | Page 2

DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP, Alcoswitch DIP



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts





TE Part # 1977830-1 DIP SWITCH GDH02SA04 TE Part # 1-1571983-7 GDH06STR0N04

Also in the Series | Alcoswitch DIP



Also in the Series | Alcoswitch DIP GDH

DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP, Alcoswitch DIP





Customers Also Bought



Documents

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1571983-8_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_1571983-8_B.3d_igs.zip

English

Customer View Model

ENG_CVM_1571983-8_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1571983-8_C.3d_igs.zip

English

Customer View Model

DIP & SIP Switches, Switch, Gold, Black Housing, Polyphenylene Sulfide (PPS), Sealed, 6 Switch, -30 – 85 °C, DIP, Alcoswitch DIP



ENG_CVM_CVM_1571983-8_C.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1571983-8_C.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SWITCHES_CORE_PROGRAM_CATALOG

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English