

STRATO-THERM TE Internal #: 1577620-1 Closed Ring Tongue Terminal, 24 – 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: .205 – .326 mm<sup>2</sup>

Stud Size: **#8, M4** 

Stud Diameter: 4.34 mm [.171 in ]

### Features

### Product Type Features

Shape Description	RING-041
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No



Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Current Rating	1 A
Body Features	
Insulation Sleeve Color	Brown
Product Weight	.65 g[.0229 oz]
Stripe Color	Brown
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel
Mechanical Attachment	

**C** For support call+1 800 522 6752

### 1577620-1

Closed Ring Tongue Terminal, 24 – 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM



Wire Insulation Support	With						
Dimensions							
Wire Size	.205 – .326 mm²						
Stud Diameter	4.34 mm[.171 in]						
Tongue Thickness	.79 mm[.031 in]						
Product Length	21.31 mm[.839 in]						
Compatible Insulation Diameter (Max)	1.9 mm[.075 in]						
Compatible Insulation Diameter Range	.89 – 1.9 mm[.035 – .075 in]						
Usage Conditions							
Insulation Option	Partially Insulated						
Operating Temperature Range	260 °C[500 °F]						
Industry Standards							
Government Qualified Terminal	No						
Packaging Features							
Packaging Features							
Packaging Features Packaging Quantity	1000						

### Product Compliance

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

### 1577620-1

Closed Ring Tongue Terminal, 24 – 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



# Also in the Series | STRATO-THERM



Crimp Wire Pins, Tabs & Ferrules(1)	Ring Terminals(93)	Splices(16)	


### **Customers Also Bought**



#### 1577620-1

Closed Ring Tongue Terminal, 24 – 22 AWG, M4 / #8 Stud Size, 4.34 mm [.171 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM





### Documents

Product Drawings

TERMINAL RT PIDG PEEK STRATO 24-22 AWG

English

**CAD** Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1577620-1\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1577620-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1577620-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance TE Material Declaration

English