

STRATO-THERM

TE Internal #: 1577965-1 Closed Ring Tongue Terminal, 14 – 12 AWG, #4 Stud Size, 3.02 mm [.119 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2.08 – 3.31 mm²

Stud Size: #4

Stud Diameter: 3.02 mm [.119 in]

Features

Product Type Features



Ring Terminal Product Type	Closed Ring Tongue Terminal					
Stud Size	#4					
Sealable	No					
Wire Insulation Support Retention Type	Non-Insulation Support					
Configuration Features						
Number of Holes	1					
Electrical Characteristics						
Current Rating	1 A					
Contact Features						
Barrel Type	Closed					
Terminal Orientation	Straight					
Terminal Plating Material	Nickel					
Mechanical Attachment						
Wire Insulation Support	Without					

C For support call+1 800 522 6752

1577965-1

Closed Ring Tongue Terminal, 14 – 12 AWG, #4 Stud Size, 3.02 mm [.119 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM



Dimensions

Wire Size	2.08 – 3.31 mm²				
Stud Diameter	3.02 mm[.119 in]				
Tongue Thickness	.79 mm[.031 in]				
Product Length	21.47 mm[.845 in]				
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]				
Compatible Insulation Diameter Range	2.29 – 3.18 mm[.09 – .125 in]				
Usage Conditions					
Insulation Option	Partially Insulated				
Insulation Option Operating Temperature Range	Partially Insulated 260 °C[500 °F]				
Operating Temperature Range					
Operating Temperature Range Industry Standards	260 °C[500 °F]				
Operating Temperature Range Industry Standards Government Qualified Terminal	260 °C[500 °F]				

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: DEC 2014 (161) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

1577965-1

Closed Ring Tongue Terminal, 14 – 12 AWG, #4 Stud Size, 3.02 mm [.119 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Also in the Series STRATO-THERM



Crimp Wire Pins, Tabs & Ferrules(1)	Ring Terminals(93)	Splices(16)


Customers Also Bought



1577965-1

Closed Ring Tongue Terminal, 14 – 12 AWG, #4 Stud Size, 3.02 mm [.119 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM







Documents

Product Drawings TERMINAL, PEEK PIDG STRATO, 14-12AWG

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1577965-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1577965-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1577965-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English