

### VAL-U-LOK

TE Internal #: 1586314-2

Power Contacts, Contact, 600 VAC, Gold, 24 – 18 AWG Wire Size, . 2 – .8 mm² Wire Size, Wire & Cable, Crimp, Power, Pin, -40 – 105 °C

[-40 – 221 °F]

View on TE.com >



Connectors > Power Connectors > Power Contacts











Power Contact Type: Contact
Operating Voltage: 600 VAC

Contact Mating Area Plating Material: Gold

Wire Size: .2 – .8 mm²

### **Features**

### **Product Type Features**

Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable
Electrical Characteristics	
Operating Voltage	600 VAC
Contact Features	
Contact Fabrication	Stamped & Formed
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	9 A

Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	9 A
Contact Type	Pin
Contact Retention Within Housing	With
Mating Square Post Dimension	1.14 mm[.045 in]
Contact Base Material	Brass
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Wire Contact Termination Area Plating Thickness	2.54 μm[100 μin]
Wire Contact Termination Area Plating Material	Tin



Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 μm[50 μin]
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Wire Size	.2 – .8 mm²
Compatible Insulation Diameter Range	1.5 – 2.4 mm[.06 – .094 in]
Usage Conditions	
	-40 - 105 °C[-40 - 221 °F]
Operating Temperature Range	
Operating Temperature Range  Operation/Application	
	Power
Operation/Application	
Operation/Application  Circuit Application	
Operation/Application  Circuit Application  Industry Standards	Power
Operation/Application Circuit Application Industry Standards CSA Rating	Power 208567
Operation/Application  Circuit Application  Industry Standards  CSA Rating  UL Rating	Power  208567  Recognized
Operation/Application Circuit Application Industry Standards CSA Rating UL Rating Agency/Standard	Power  208567  Recognized

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts








# Customers Also Bought




















### **Documents**

### **Product Drawings**

VAL-U-LOK PIN BR AU 22-18 LP

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_1586314-2\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_1586314-2\_C.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_1586314-2\_C.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

SOFT\_SHELL\_PIN\_AND\_SOCKET\_CONNECTORS\_CATALOG

English

### **Product Specifications**

**Application Specification** 

English