

SOLISTRAND

TE Internal #: 160032 Closed Ring Tongue Terminal, 6 AWG, M10 Stud Size, 10 mm / 10.5 mm [.413 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 20800 - 33100 CMA

Stud Size: M10

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal				
Stud Size	M10				
Sealable	No				
Wire Insulation Support Retention Type	Non-Insulation Support				
Configuration Features					
Number of Holes	1				
Body Features					
Product Weight	5.497 g				
Contact Features					
Barrel Type	Closed				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	Without				
Dimensions					



160032

Closed Ring Tongue Terminal, 6 AWG, M10 Stud Size, 10 mm / 10.5 mm [.413 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated



Wire Size	20800 – 33100 CMA			
Stud Diameter	10 mm, 10.5 mm[.413 in]			
Tongue Thickness	.79 mm[.031 in]			
Product Length	31.65 mm[1.246 in]			
Barrel Inside Diameter	5.89 mm[.232 in]			
Usage Conditions				
Insulation Option	Uninsulated			
Operating Temperature Range	170 °C[338 °F]			
Operation/Application				
Compatible With Wire Base Material	Copper			
Compatible With Wire Plating Material	Tin			
Industry Standards				
Government Qualified Terminal	No			
Government Qualified Terminal Packaging Features	No			
	No 100			

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

160032

Closed Ring Tongue Terminal, 6 AWG, M10 Stud Size, 10 mm / 10.5 mm [.413 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



TERMINAL,SOLIS R 6 5/8	TERMINAL, SOLIS R 6 1/4	RCAB-5120	HTAT-16/4-0-STK
TE			
TE Part #36808 TERMINAL,SOLIS R 6 1/2	TE Part #8721666001 DR-25-1/4-0-FAR-10M	TE Part #EN0127-000 SMOE-64623	

Documents

Product Drawings SOLIS 6 R 10MM

English

CAD Files

Customer View Model

ENG_CVM_CVM_160032_AC.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

160032

Closed Ring Tongue Terminal, 6 AWG, M10 Stud Size, 10 mm / 10.5 mm [.413 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated



3D

Customer View Model ENG_CVM_CVM_160032_AC.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_160032_AC.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL Report

English

UL Report

English