TE Internal #: 160101-9

Closed Ring Tongue Terminal, 20 – 16 AWG, M4 / #8 Stud Size, 4.3

mm [.169 in] Stud Diameter, Open Barrel, Straight, Nickel,

Uninsulated

View on TE.com >



Terminals & Splices > Ring Terminals











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1021 – 2582 CMA

Stud Size: #8, M4

## **Features**

# Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	.628 g
Contact Features	
Contact Base Material	Steel
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Nickel
Contact Underplating Material	None



### Mechanical Attachment

Wire Insulation Support	With	
Dimensions		
	.08 in	
Wire Size	1021 – 2582 CMA	
Stud Diameter	4.3 mm[.169 in]	
Tongue Thickness	.76 mm[.03 in]	
Product Length	19.81 mm[.78 in]	
Barrel Inside Diameter	1.65 mm, 2.28 mm[.065 in][.09 in]	
Compatible Insulation Diameter (Max)	3.05 mm[.12 in]	
Compatible Insulation Diameter Range	2.03 – 3.04 mm[.08 – .12 in]	
Usage Conditions		
Insulation Option	Uninsulated	
Operating Temperature Range	-40 - 250 °C[-40 - 482 °F]	
Operation/Application		
Compatible With Wire Base Material	Copper	
Industry Standards		
Government Qualified Terminal	No	
Packaging Features		
Packaging Quantity	6000	
Packaging Method	Strip/Reel	
Other		
Terminals & Splices Comment	Reeled with interleaving paper strip.	

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)



Doos	not contair	DEACH	SVIAC
DOES	not contair	IKEAUH	SVHU

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

#### Solder Process Capability

Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



OCEAN\_2.0\_Applicator-E-110F140F



TE Part # 7-2150304-7 OCEAN\_2.0\_SPARE\_PART\_KIT-110F140F



TE Part # 1742775-1 RT .129 DIA TERMINAL .062 CABLE ST





TE Part # 2150304-2 OCEAN\_2.0\_Applicator-E-110F140F







# Customers Also Bought





















#### **Documents**

### **Product Drawings**

RING TONGUE 20-16 AWG 0.0253 NPBR

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_160101-9\_Y.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_160101-9\_Y.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_160101-9\_Y.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

Closed Ring Tongue Terminal, 20 – 16 AWG, M4 / #8 Stud Size, 4.3 mm [.169 in] Stud Diameter, Open Barrel, Straight, Nickel, Uninsulated



## **Application Specification**

English

Product Environmental Compliance

**Product Compliance** 

English

**Product Compliance** 

English