




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1022 – 2583 CMA**

Stud Size: **M3**

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M3
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.312 g
----------------	--------

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.075 in
Wire Size	1022 – 2583 CMA
Stud Diameter	3.2 mm [.126 in]
Tongue Thickness	.51 mm [.02 in]
Product Length	11.68 mm [.46 in]
Barrel Inside Diameter	1.9 mm, 2.15 mm [.075 in] [.085 in]
Compatible Insulation Diameter (Max)	2.79 mm [.11 in]
Compatible Insulation Diameter Range	1.9 – 2.8 mm [.075 – .11 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	15000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free












Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

 <p>TE Part # 62638-1 RING TONGUE 22-20 AWG TPBR</p>	 <p>TE Part # 2-2150381-1 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 2-2150381-2 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 2-4150048-2 OCEAN-2.0-APPLICATOR-E-120F1400</p>
 <p>TE Part # 2150381-1 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 2150381-2 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 626235-2 RING TONGUE 22-18 AWG 0.50 X 9.144 BR</p>	 <p>TE Part # 7-2150381-1 OCEAN_2.0_APPLICATOR-E-120F140F</p>
 <p>TE Part # 7-2150381-2 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>KIT REPRESENTATION ONLY</p> <p>TE Part # 7-2150381-7 OCEAN_2.0_SPARE_PART_KIT-120F140F</p>	 <p>TE Part # 7-4150048-2 OCEAN-2.0-APPLICATOR-E-120F1400</p>	

Customers Also Bought



TE Part #1-5102153-2
A/L UNIV HDR 64P VERT




BATTERY CO



TE Part #160018-2
RING TONGUE 176 20-16 AWG 0.251
NIBR



TE Part #42508-2
RING CRIMP 24-20 AWG TPBR



TE Part #1-796692-0
TERMI-BLOK PCB MOUNT 1&2 10P.5



TE Part #3979470001
RPS-8-4/2.0-9



TE Part #160252-1
RING TONGUE IS AUTOMATIC 0.5-
1.43 MM2 BR



TE Part #2-1393561-1
V42254A 112V109=SUB D SCHRAUBE



TE Part #2315342-1
FORTIS ZD 20 COL R/A FULL
SHROUD ASSY SE

Documents

Product Drawings

[RING TONGUE 20-16 AWG .025 X .840](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_160344-2_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160344-2_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160344-2_G.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English