




Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Sealing Boot**

Primary Product Material: **Silicone Rubber**

Primary Product Color: **Red**

Sealable: **No**

Operating Temperature Range: **-65 – 125 °C [ -85 – 257 °F ]**

### Features

#### Product Type Features

Compatible With RF Cable Type	None
Strain Relief Accessory Type	Sealing Boot
Sealable	No

#### Body Features

Primary Product Material	Silicone Rubber
Primary Product Color	Red

#### Contact Features

Compatible With Contact Size	8
------------------------------	---

#### Dimensions

Wire Size	8 AWG
-----------	-------

#### Usage Conditions

Operating Temperature Range	-65 – 125 °C [ -85 – 257 °F ]
-----------------------------	-------------------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2023  
(235)

Candidate List Declared Against: JAN 2021  
(211)

Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Customers Also Bought



TE Part #1-967625-1  
Timer Connector Housing




TE Part #1616055-3  
A1077DD (FAA/PMA)=CONTACTOR - S.P.S.T.




TE Part #YD369-HP33-BS00000  
369 HARSH 3 WAY PLUG, SKT - BACC65CP1SB



TE Part #445595-3  
DUAL PLG KIT, ARINC404, W/O CONT



TE Part #371903N001  
SO63-2-9036-18CS2677



TE Part #213408-3  
ASSY, PLUG, 15 POS, WIRE INTEGR.



TE Part #TSE-20-01-090  
JUNCTION ASSY

### Documents

Product Drawings  
BOOT, SEAL, WIRE, 12 POS

English



### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1604872-2\\_O.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1604872-2\\_O.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1604872-2\\_O.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[Quadrax Contacts, Connectors and Cables Brochure](#)

English

### Product Specifications

[Application Specification](#)

English