HFW5A1201G00 V ACTIVE

CII

TE Internal #: 1617037-7 Half-Size Relays, 2 Form C, DPDT, 2 C/O, 12 VDC Input, 5 A, 12 VDC Coil Voltage, 160 Ω Coil Resistance, 900 mW Coil Power (DC), Printed Circuit Board

View on TE.com >

Relays, Contactors & Switches > Relays > Mil-Aero Relays > Half-Size Relays



Half-Size Relay Contact Arrangement: 2 Form C, DPDT, 2 C/O
Half-Size Relay Input Voltage: 12 VDC
Half-Size Relay Contact Current Rating: 5 A
Half-Size Relay Coil Voltage Rating: 12 VDC
Half-Size Relay Coil Resistance: 160 Ω

Features

Product Type Features

 Enclosure Type
 Hermetically Sealed

 Relay Type
 Military/Aerospace High Performance



Coil Latching	Without				
Product Type	Relay				
MOSFET Driver	Without				
Configuration Features					
Transistor Driver	Without				
Electrical Characteristics					
Coil Magnetic System	Non-Polarized, Monostable				
Actuating System	DC				
Vibration	20G's, 10–2000Hz				
Shock	100G's, 6ms				
Coil Suppression Diode	Without				
Coil Power Measurement	Milliwatts				
Coil Polarity Protection Diode	Without				
Half-Size Relay Input Voltage	12 VDC				
Half-Size Relay Coil Voltage Rating	12 VDC				

HFW5A1201G00

Half-Size Relays, 2 Form C, DPDT, 2 C/O, 12 VDC Input, 5 A, 12 VDC Coil Voltage, 160 Ω Coil Resistance, 900 mW Coil Power (DC), Printed Circuit Board



Half-Size Relay Coil Resistance	160 Ω			
Half-Size Relay Coil Power Rating (DC)	900 mW			
Contact Features				
Half-Size Relay Contact Arrangement	2 Form C, DPDT, 2 C/O			
Half-Size Relay Contact Current Rating	5 A			
Termination Features				
Termination Type	PC Pins			
Mechanical Attachment				
Half-Size Relay Mounting Type	Printed Circuit Board			
Usage Conditions				
Operating Temperature Range	-65 – 125 °C			
Product Compliance For compliance documentation, visit the product page on TE.com>				
EU RoHS Directive 2011/65/EU	Compliant			

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

Not Compliant

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

HFW5A1201G00

Half-Size Relays, 2 Form C, DPDT, 2 C/O, 12 VDC Input, 5 A, 12 VDC Coil Voltage, 160 Ω Coil Resistance, 900 mW Coil Power (DC), Printed Circuit Board



Compatible Parts



Customers Also Bought



	ETE	=TE	
TE Part #1617086-6 3SBM1071A2 = M39016/31-003M	TE Part #YDTS24W17-35PAV001 RECP ASSY	TE Part #EM7489-000 X2-8.0-0-FSP-SM	TE Part #103635-3 04 MTE HDR SRRA LATCH .100CL
ETE	FOR REFERENCE ONLY		
TE Part #1-2176377-5 RQ 0805 187K 0.1% 10PPM 1K RL	TE Part #1878660-6 QC236		

Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1617037-7_C.2d_dxf.zip

English

Customer View Model

C For support call+1 800 522 6752

HFW5A1201G00

Half-Size Relays, 2 Form C, DPDT, 2 C/O, 12 VDC Input, 5 A, 12 VDC Coil Voltage, 160 Ω Coil Resistance, 900 mW Coil Power (DC), Printed Circuit Board



ENG_CVM_CVM_1617037-7_C.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_1617037-7_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages 5-1773450-5_sec1_HFW4A

English

RELAY

English