

# SBL4R01J ✓ ACTIVE

CGS | CGS SBL

TE Internal #: 1623819-7

.01  $\Omega$ , Foil, Low Ohmic Resistor, 5 %, 18 x 6.4 x 6.4 mm, 2

Termination, Loose Piece - Box, 4 W,  $\pm 450$  ppm/ $^{\circ}\text{C}$ , Tinned Copper

Leads Termination, CGS SBL

[View on TE.com >](#)



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Low Ohmic Resistor**

Passive Component Dimensions: **18 x 6.4 x 6.4 mm**

Number of Terminations: **2**

Packaging Method: **Loose Piece - Box**

Passive Component Tolerance: **5 %**

## Features

### Product Type Features

Product Type	Fixed Resistor
Resistor Type	Low Ohmic Resistor
Element Type	Foil

### Configuration Features

Number of Resistors	1
---------------------	---

### Electrical Characteristics

Passive Component Tolerance	5 %
Resistance Class	Up to 1k $\Omega$
Resistance Value	.01 $\Omega$
Power Rating	4 W

### Body Features

Passive Component Lead Type	Axial-Leaded
-----------------------------	--------------

### Termination Features

Number of Terminations	2
Passive Component Termination Material Type	Tinned Copper Leads

### Dimensions

Passive Component Dimensions	18 x 6.4 x 6.4 mm
------------------------------	-------------------

### Usage Conditions

Operating Temperature Range	-55 – 155 $^{\circ}\text{C}$
Temperature Coefficient	$\pm 450$ ppm/ $^{\circ}\text{C}$

### Packaging Features

Packaging Method	Loose Piece - Box
------------------	-------------------

### Product Compliance



For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265 $^{\circ}\text{C}$

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



Also in the Series | **CGS SBL**



Through-Hole Resistors(17)

## Customers Also Bought



TE Part #1623732-1  
BCHE 7 W 100R 5%



TE Part #1-1393243-5  
RTE24524



TE Part #6-1393238-9  
RTD14048



TE Part #1734298-1  
Shield Finger 6525



TE Part #5-1437657-7  
8PCV-02-006=#8 TRIBARRIER TERM



TE Part #1-1623819-2  
SBL4 R047 5%



TE Part #NB15904001  
RT-220-3/32-9-SP



TE Part #7-2176091-4  
RP 2A 0.25W 348R 0.1% 25PPM 1K RL



TE Part #1483356-2  
MICRO-MATCH LEAD 16P 150MM

## Documents

### Product Drawings

[SBL4 R01 5%](#)

English

### Datasheets & Catalog Pages

[4-1773460-6\\_RESISTIVE\\_SOLUTIONS\\_RAIL](#)

English

[1309350\\_PASSIVE\\_COMPONENT](#)

English

SBL4R01J

.01  $\Omega$ , Foil, Low Ohmic Resistor, 5 %, 18 x 6.4 x 6.4 mm, 2 Termination, Loose Piece - Box, 4 W,  $\pm 450$  ppm/ $^{\circ}\text{C}$ , Tinned Copper Leads Termination, CGS SBL



[Low Ohmic - Current Sense Resistors - Type SBL Series - Tyco Electronics Passives](#)

English

[8-1773459-4\\_POWER\\_FILTERING\\_AND\\_RESISTIVE\\_SOLUTIONS\\_FOR\\_ELEVATORS\\_AND\\_ESCALATORS](#)

English