



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Low Ohmic Resistor**
Passive Component Dimensions: **18 x 6.4 x 6.4 mm**
Number of Terminations: **2**
Packaging Method: **Loose Piece - Box**
Passive Component Tolerance: **5 %**

Features

Product Type Features

Product Type	Fixed Resistor
Resistor Type	Low Ohmic Resistor
Element Type	Foil

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Passive Component Tolerance	5 %
Resistance Class	Up to 1k Ω
Resistance Value	.022 Ω
Power Rating	4 W

Body Features

Passive Component Lead Type	Axial-Leaded
-----------------------------	--------------

Termination Features

Number of Terminations	2
Passive Component Termination Material Type	Tinned Copper Leads

Dimensions

Passive Component Dimensions	18 x 6.4 x 6.4 mm
------------------------------	-------------------



Usage Conditions

Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±350 ppm/°C

Packaging Features

Packaging Method	Loose Piece - Box
------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1623819-7
SBL4 R01 5%



TE Part # 1623819-2
SBL4 R005 5%



TE Part # 1623819-4
SBL4 R015 5%



TE Part # 1-1623819-1
SBL4 R033 5%



TE Part # 1-1623819-2
SBL4 R047 5%



TE Part # 1-1623819-4
SBL4 R051 5%



TE Part # 1-1623819-5
SBL5 R015 5%



TE Part # 1623819-5
SBL4 R018 5%



TE Part # 1-1623819-8
SBL4 R004 1%



TE Part # 1623819-1
SBL4 R005 1%



TE Part # 1-1623819-9
SBL4 R007 1%



TE Part # 1623819-3
SBL4 R015 1%



TE Part # 1623819-6
SBL4 R01 1%



TE Part # 1623819-8
SBL4 R022 1%



TE Part # 1-1623819-0
SBL4 R033 1%




TE Part # 1-1623819-3
SBL4 R051 1%

Also in the Series | CGS SBL




Through-Hole Resistors(17)

Customers Also Bought



TE Part #2-5499206-2
A/L UNIV HDR 14P VERT LG LAT BLUE



TE Part #281698-5
HEADER HE14 RA 5 P



TE Part #2-2176231-2
3522 75R 1% 3W



TE Part #3-1393250-1
W28-XQ1A-16=W28



TE Part #1623929-1
CFR200 5% 100K




TE Part #2204273-1
IN-LINE MOUNT 500A BUSBAR CONN.



TE Part #3-828102-1
HD-20SCHRAUB-SICHRG



TE Part #CONMMCX001
MMCX Jack 50 Ohm PCB Through Hole



TE Part #5-1474644-6
FSN-22.5A-4

Documents

Product Drawings

SBL4 R022 5%

English

Datasheets & Catalog Pages

4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

Low Ohmic - Current Sense Resistors - Type SBL Series - Tyco Electronics Passives

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English

Product Environmental Compliance

MD_1623819-9_041620182316_dmtec

English

MD_1623819-9_041620182316_dmtec

English

SBL4R022J

.022 Ω, Foil, Low Ohmic Resistor, 5 %, 18 x 6.4 x 6.4 mm, 2 Termination, Loose Piece - Box, 4 W, ±350 ppm/°C, Tinned Copper Leads Termination, CGS SBL

