

### CGS | CGS YP

TE Internal #: 1630184-9

47K  $\Omega$ , Wire Wound, Power Resistor, 50 x 9.5 mm, 2 Termination, Loose Piece - Box, 5 %, 10 W, ±30 ppm/°C, Mounting Terminals

Termination, CGS YP

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors > Resistor Cap Discharge YP10











Resistor Type: Power Resistor

Passive Component Dimensions: 50 x 9.5 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box
Passive Component Tolerance: 5 %

All Resistor Cap Discharge YP10 (5)

### **Features**

### **Product Type Features**

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	

### **Electrical Characteristics**

Number of Resistors

Voltage Rating	570 VAC
Passive Component Tolerance	5 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	47K Ω
Power Rating	10 W

#### **Termination Features**

Number of Terminations 2
--------------------------



Chassis Mount Resistor Termination Type	Mounting Terminals
Mechanical Attachment	
Chassis Mount Resistor Mount Style	Direct Mounting
Dimensions	
Passive Component Dimensions	50 x 9.5 mm
Usage Conditions	
Operating Temperature Range	-55 – 350 °C
Temperature Coefficient	±30 ppm/°C
Packaging Features	

Loose Piece - Box

### **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Compatible Parts







## Also in the Series | CGS YP



# Customers Also Bought

















TE Part #1977264-2
FSM4LPASTR=TACT SWITCH,SMT,
T&R



### **Documents**

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1630184-9\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1630184-9\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1630184-9\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### Datasheets & Catalog Pages

4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English