164840-2 - ACTIVE

AMP | AMP Type III+ TE Internal #: 164840-2 Power Contacts, Contact, Gold, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Socket, AMP Type III+

View on TE.com >

Connectors > Power Connectors > Power Contacts > Pin and Socket Contacts, Type III, LP EMEA



Power Contact Type: Contact

Contact Mating Area Plating Material: Gold

Wire Size: .75 – 1.5 mm²

Connector & Contact Terminates To: Wire & Cable

All Pin and Socket Contacts, Type III, LP EMEA (27)

Features



Product Type Features

Compatible With Discrete Wire Type	Stranded
Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable
Contact Features	
Contact Size	Size 16
Contact Shape & Form	Round
Barrel Type	Open
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	13 A
Contact Type	Socket
Contact Retention Within Housing	With
Mating Pin Diameter	1.57 mm[.062 in]
Contact Base Material	Phosphor Bronze

Power Contacts, Contact, Gold, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Socket, AMP Type III+



Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Mating Area Plating Material Finish	Bright
Wire Contact Termination Area Plating Thickness	.076 μm[3 μin]
Wire Contact Termination Area Plating Material	Gold Flash
Wire Contact Termination Area Plating Material Finish	Bright
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 μm[50 μin]
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	.75 – 1.5 mm²
Compatible Insulation Diameter Range	2 – 2.5 mm[.08 – 1 in]
Usage Conditions	
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Operation/Application

Circuit Application	Power & Signal	
Identification Marking		
Contact Color Code	Blue	
Packaging Features		
Packaging Quantity	200	
Packaging Method	Loose Piece	
Product Compliance		
Product Compliance For compliance documentation, visit the product page on TE.com>		
-	Compliant	
For compliance documentation, visit the product page on TE.com>	Compliant Compliant	
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU		

Power Contacts, Contact, Gold, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Socket, AMP Type III+



Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Power Contacts, Contact, Gold, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Socket, AMP Type III+





Also in the Series | AMP Type III+



Customers Also Bought



TE Part #DT04-6P-CE01 REC, 6P, GRY, E, CAP	TE Part #1623788-9 SQM5 1R0 5% (WIRE)	TE Part #200870-1 SERIES"M" JACKSCREW FEMALE ASS	TE Part #1-201046-2 SERIES "M" MIN RECT GUIDE PIN
ETE	TE TE		
TE Part #2-50871-2 SOCKET,MIN-SPR AU SER-5	TE Part #1-200874-2 SERIES "M" JACKSCREW STUD ASSY	TE Part #200875-7 SKT ASSY,M SERIES	TE Part #1860996-1 RP16C01 PLASTIC RETAINING CLIP HIGH

Documents

Product Drawings

062 M SRS.SOCKET 3+

English

CAD Files

Customer View Model

ENG_CVM_CVM_164840-2_D1.3d_igs.zip

Power Contacts, Contact, Gold, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Socket, AMP Type III+



English

Customer View Model ENG_CVM_CVM_164840-2_D1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_164840-2_D1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications
Product Specification

English