1658640-2 <

### AMPLIMITE

TE Internal #: 1658640-2 Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention, Shielded

### View on TE.com >

Connectors > D-Shaped Connectors > D-Sub Connectors > Crimp D-Sub Connectors >

D-Sub Crimp Recpt Signal 50 Posn, Socket Size 20, Shell Size 5



Connector & Housing Type: Receptacle

Connector System: Cable-to-Cable

Number of Positions: 50

Contact Size: Size 20

Connector Shell Size: 5

All D-Sub Crimp Recpt Signal 50 Posn, Socket Size 20, Shell Size 5 (6)



## Features

## **Product Type Features**

Shell Material Configuration	Full Metal Shell
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	5
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	50
Body Features	
Insert Material	Glass-Filled Nylon
Shell Plating Material	Zinc
Primary Product Color	Black

**C** For support call+1 800 522 6752

Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention, Shielded



Contact Features	
Contact Size	Size 20
Mechanical Attachment	
Mating Retention	With
Mating Retention Type	Mounting Holes
Housing Features	
Shell Material	Steel
Housing Material	Nylon GF, Polyester GF
Centerline (Pitch)	2.74 mm, 2.76 mm, 2.79 mm[.108 in][.109 in [.11 in]
Dimensions	
Compatible Insulation Diameter Range	4.58 – 11.68 mm
Wire Size	.2 – .56 mm²
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	225
Packaging Method	Package
Other	
D-Shaped Connectors Comment	Receptacles accept size 20 DF socket contacts.
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

**C** For support call+1 800 522 6752

Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention, Shielded




EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




# Customers Also Bought



Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention, Shielded





## Documents

Product Drawings RECP. ASSEMBLY SIZE 5

English

CAD Files Customer View Model ENG\_CVM\_1658640-2\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_1658640-2\_C.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_1658640-2\_C.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

**AMPLIMITE Subminiature D Connectors - Cable Connectors** 

English

AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG

English

**Product Specifications** 

**Application Specification** 

English

Crimp D-Sub Connectors, Receptacle, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention, Shielded



Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals UL Report

English