TE Internal #: 1658939-3

SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP, With Lightpipe, 1 x 6, Dual

Square, Standard, Standard


View on TE.com >



Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+











Pluggable I/O Product Type: Cage Assembly

Data Rate (Max): 16 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: **SFP**Lightpipe Options: **With Lightpipe**

Features

Product Type Features

Form Factor S	SFP
Cage Type G	Ganged
Pluggable I/O Product Type	Cage Assembly
Lightpipe Options V	With Lightpipe
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Port Matrix Configuration	1 x 6
Lightpipe Configuration	Dual Square
Lightpipe Style	Standard
Lightpipe Profile	Standard
Number of Ports	6

Electrical Characteristics



Data Rate (Max)	16 Gb/s
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
Connector Mounting Type	Board Mount
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Pluggable I/O Applications	SFP
Circuit Application	Signal
Other	
EMI Containment Feature Type	Internal/External EMI Springs

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Customers Also Bought



















Documents

Product Drawings

SFP 1X6 CAGE & LIGHT PIPE KIT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1658939-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1658939-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1658939-3_A.3d_stp.zip

English

SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP, With Lightpipe, 1 x 6, Dual Square, Standard, Standard



By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English