
# 171507-1 - ACTIVE

#### PIDG

TE Internal #: 171507-1 Closed Ring Tongue Terminal, 22 – 18 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

#### View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: M6

#### Features

#### **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	M6	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	300 V	
Body Features		
Insulation Sleeve Color	Red	
Stripe Color	Red	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	



Closed Ring Tongue Terminal, 22 – 18 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



#### Mechanical Attachment

Wire Insulation Support	With	
Dimensions		
Wire Size	509 – 3260 CMA	
Stud Diameter	6.73 mm[.265 in]	
Tongue Thickness	.79 mm[.031 in]	
Product Length	27.6 mm[1.076 in]	
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]	
Compatible Insulation Diameter Range	2.03 – 3.18 mm[.08 – .125 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Operating Temperature Range	105 °C[221 °F]	
Operation/Application		
Compatible With Wire Base Material	Copper	
Compatible With Wire Plating Material	Tin	
Industry Standards		
Government Qualified Terminal	No	

## Packaging Features

Packaging Quantity	100	
Packaging Method	Bag	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

**C** For support call+1 800 522 6752

Closed Ring Tongue Terminal, 22 – 18 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


## **Compatible Parts**








## Also in the Series **PIDG**



Closed Ring Tongue Terminal, 22 – 18 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG






## Customers Also Bought



500 PSIG 1/4-18 NPT PRESSURE SENSOR	TERMINAL,PIDG R 16-14 4	3522 6K8 1% 3W	16 MODII VRT DR CE 100/115
TE	e TE		
		=TE	<i>≡TE</i>
TE Part #8-33466-3 TERMINAL,SOLIS R 6 5/16	TE Part #171505-1 PIDG RING UL.CSA(22-18)	TE Part #4-2176331-0 CRGP 2512 18K 1%	TE Part #89-01KA-4R 1000 PSIA 316L MV RIBBON PRESSURE SENSOR



## Documents

Closed Ring Tongue Terminal, 22 – 18 AWG, M6 Stud Size, 6.73 mm [.265 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



**Product Drawings** PIDG RING UL.CSA(22-18) English **CAD** Files 3D PDF 3D Customer View Model ENG\_CVM\_CVM\_171507-1\_D.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_171507-1\_D.3d\_igs.zip English Customer View Model ENG\_CVM\_CVM\_171507-1\_D.3d\_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use. **Product Specifications Application Specification** 

English

Agency Approvals UL Report

English