

172773-1 ✓ ACTIVE

AMP | Mark II


TE Internal #: 172773-1

Automotive Terminals, Receptacle, Mating Tab Width 3 mm [.118 in], Tab Thickness .65 mm [.025 in], 20 – 14 AWG Wire Size, Mark II

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals



Terminal Type: **Receptacle**

Mating Tab Width: **3 mm [.118 in]**

Mating Tab Thickness: **.65 mm [.025 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **20 – 14 AWG**

Features

Product Type Features

Receptacle Style	180°
Sealable	No

Contact Features

Contact Size	3mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	3 mm [.118 in]
Mating Tab Thickness	.65 mm [.025 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	2.1 – 3.4 mm [.082 – .133 in]
Wire Size	.5 – 2 mm ²
Wire Size Search	14 AWG, 15 AWG, 16 AWG, 17 AWG, 18 AWG, 19 AWG, 20 AWG



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C [176 °F] [185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-30 – 105 °C [-22 – 221 °F]

Packaging Features

Packaging Quantity	3500
Packaging Method	Reel

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 172500-1
MIC MARK-2 PLUG HSG 17P



TE Part # 172497-1
MIC MARK-2 PLUG HSG 11P



TE Part # 172501-1
MIC MARK-2 PLUG HSG 21P



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # CAT-M9194-CH8172
MULTILOCK, CONNECTOR HOUSING



TE Part # 1804014-1
CCII MIC MK-II REC 20-14 ASSY



TE Part # 753787-1
EXTRACTION TOOL FOR MIC MK II



TE Part # 172496-1
MIC PLUG HSG 9P (MK II)



TE Part # 172494-1
MIC MARK-2 PLUG HSG 5P



TE Part # 174175-1
MIC MARK II 21P MARKING



TE Part # 2151187-1
OCEAN_2.0_APPLICATOR-S-110F160F




TE Part # 2151187-2
OCEAN_2.0_APPLICATOR-S-110F160F



TE Part # 7-2151187-1
OCEAN_2.0_APPLICATOR-S-110F160F




TE Part # 7-2151187-2
OCEAN_2.0_APPLICATOR-S-110F160F



TE Part # 7-2151187-7
OCEAN_2.0_SPARE_PART_KIT-110F160F



TE Part # 85035-1
MIC MK-2 TAB CONTACT



TE Part # 174168-1
MIC MARKII 5P P MARKING



TE Part # 174174-1
MIC MARKI II 17P P MARKING



TE Part # 2-2151187-1
OCEAN_2.0_APPLICATOR-S-110F160F



TE Part # 172498-1
MIC PLUG HSG 13P (MK II)


Also in the Series | **Mark II**



Automotive Housings(8)



Automotive Terminals(22)



Crimp Terminal Housings(76)



Insertion & Extraction Tools(2)




Quick Disconnects(57)


Customers Also Bought




TE Part #4-1564412-1
18POS,TAB 1.6X0.6,TAB HSG,ASSY



TE Part #172497-1
MIC MARK-2 PLUG HSG 11P



TE Part #2109366-2
MULTILOCK, CONNECTOR HOUSING



TE Part #174933-1
070 MLC W-W CAP HSG 12P




TE Part #172495-1
MIC MK-II PLUG HSG 7P NATURAL



TE Part #142185-1
MIC RECEPTACLE



TE Part #2319021-2
REC CONN CVR,8POS,AMP MCP 2.8, FRB



TE Part #172498-1
MIC PLUG HSG 13P (MK II)



TE Part #920-332-353
Antennenfuss AM/FM/TEL/GNSS

Documents



Product Drawings

MIC MK-2 REC B TYPE

Japanese

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_172773-1_U.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_172773-1_U.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_172773-1_U.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Crimping Multi-Interlock (MIC) Conn. Mark II, Rec. Contact

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

Multi-Interlock Mark II Contact From Plug & Cap HSG

English