


FASTON | FASTON 250

TE Internal #: 1742303-1 PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], PCB Hole Diameter 1.25 mm [.049 in], Through Hole - Solder, Tin Plating, Nickel, FASTON 250

View on TE.com >

Terminals & Splices > PCB Terminals



PCB Terminal Type: Tab

PCB Thickness (Recommended): 2.36 – 3.05 mm [.093 – .12 in]

Mating Tab Width: 6.35 mm [.25 in]

Mating Tab Thickness: .79 mm [.031 in]

PCB Hole Diameter: 1.25 mm [.049 in]

Features



Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 μm[150 μin]	
Contact Underplating Material Thickness	1.27 μm[50 μin]	
Contact Mating Area Plating Material Thickness	3.81 μm[150 μin]	
PCB Terminal Type	Tab	
Mating Tab Width	6.35 mm[.25 in]	
Mating Tab Thickness	.79 mm[.031 in]	
Terminal Plating Material	Tin	
Contact Underplating Material	Nickel	
Terminal Size	6.35	
Terminal Orientation	Flag	
Termination Features		
Termination Method to Printed Circuit Board	Through Hole - Solder	
Product Terminates To	Printed Circuit Board	
Dimensions		

1742303-1

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], PCB Hole Diameter 1.25 mm [.049 in], Through Hole - Solder, Tin Plating, Nickel, FASTON 250



Extension Below Board	3.81 mm[.15 in]	
PCB Thickness (Recommended)	2.36 – 3.05 mm[.093 – .12 in]	
PCB Hole Diameter	1.25 mm[.049 in]	
Profile Height from PCB	14.35 mm[.572 in]	
Usage Conditions		
Insulation Option	Uninsulated	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]	
Packaging Features		
Packaging Quantity	7000	
Packaging Method	Reel	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE	

Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per

Free

homogenous material. Also BFR/CFR/PVC

Halogen Content

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

C For support call+1 800 522 6752

1742303-1

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], PCB Hole Diameter 1.25 mm [.049 in], Through Hole - Solder, Tin Plating, Nickel, FASTON 250








250 FASTON, PCB TAB, TNBR

Also in the Series | FASTON 250

Compression Connectors(4)	Crimp Terminal Housings(142)	Insertion & Extraction Tools(6)	Magnet Wire Terminals(1)



Customers Also Bought

& For support call+1 800 522 6752

1742303-1

PCB Terminals, Tab, Mating Tab Width .25 in [6.35 mm], PCB Hole Diameter 1.25 mm [.049 in], Through Hole - Solder, Tin Plating, Nickel, FASTON 250





-TE

TE Part #926539-1

250 FASTON HSG. REC. 1P NATURAL

Documents

TE Part #5415025-2

Product Drawings 250 FASTON, PCB TAB, TNBR

JACK, RTANG, PCB, 50 OHM, BNC

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_1742303-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1742303-1_C.3d_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_1742303-1_C.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

FASTON* 110, 187, 205, 250, and 312 Series Tab Contacts for Printed Circuit (PC) Board Applications

English

Product Environmental Compliance TE Material Declaration

English