



Dynamic Series | Dynamic 4000 Series

TE Internal #: 1747500-2

Connector Contact, Tab, Component-to-Wire, 14 – 12 AWG Wire Size, 2.08 – 3.62 mm<sup>2</sup> Wire Size, Gold, Reel & Box, Wire & Cable, 24 A, Dynamic 4000 Series

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts >

Contact: Component To Wire; 22-24A, 16-10 wire size



Contact Type: **Tab**

Connector System: **Component-to-Wire**

Wire Size: **2.08 – 3.62 mm<sup>2</sup>**

Contact Mating Area Plating Material: **Gold**

[All Contact: Component To Wire; 22-24A, 16-10 wire size \(17\)](#)

## Features

### Product Type Features

|                                   |                   |
|-----------------------------------|-------------------|
| Connector System                  | Component-to-Wire |
| Connector & Contact Terminates To | Wire & Cable      |

### Contact Features

|                                      |                 |
|--------------------------------------|-----------------|
| Mating Tab Width                     | 3.1 mm[.122 in] |
| Mating Tab Thickness                 | .8 mm[.031 in]  |
| Contact Type                         | Tab             |
| Contact Mating Area Plating Material | Gold            |
| Contact Current Rating (Max)         | 24 A            |

### Dimensions

|           |                             |
|-----------|-----------------------------|
| Wire Size | 2.08 – 3.62 mm <sup>2</sup> |
|-----------|-----------------------------|

### Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|



**Operation/Application**

|                     |       |
|---------------------|-------|
| Circuit Application | Power |
|---------------------|-------|

**Packaging Features**

|                  |            |
|------------------|------------|
| Packaging Method | Reel & Box |
|------------------|------------|

**Product Compliance**



[For compliance documentation, visit the product page on TE.com>](#)

|   |   |
|---|---|
| EU RoHS Directive 2011/65/EU                  | Compliant   |
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023 (235)<br>Candidate List Declared Against: JUNE 2023 (235)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free   |
| Solder Process Capability                     | Not applicable for solder process capability  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


**Compatible Parts**




## Also in the Series | Dynamic 4000 Series




PCB Connector Mounting(3)



PCB Headers & Receptacles(20)



PCB Terminal Blocks(2)



Wire-to-Board Connector Assemblies & Housings(29)



Wire-to-Board Connector Contacts(17)

## Customers Also Bought



TE Part #487925-1  
8 ZIF LINE ASSY .100C/L



TE Part #969587-2  
MOD2 STIFTLAIS2X5P



TE Part #T0931006527-000  
CODING-PIN-M3-LTF



TE Part #T2120865101-000  
HK-HDW3/1/1-23/16/47-M



TE Part #3-1418888-2  
6pos MQS .63 header 90deg THR



TE Part #2316670-3  
HD1 REC CONTACT AU0.38 L SIZE



TE Part #T1220102025-000  
H10B-TG-M20/M25,SHORT RIB



TE Part #T1410100000-001  
H10B-AG-SL,ONE RIB



TE Part #T1507031000-000  
H3A-AG



## Documents

### Product Drawings

#### [DYNAMIC D4200 TAB CONT L/LP](#)

Japanese

### CAD Files

#### [3D PDF](#)

3D

#### [Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1747500-2\\_A.2d\\_dxf.zip](#)

English

#### [Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1747500-2\\_A.3d\\_igs.zip](#)

English

#### [Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1747500-2\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

#### [1-1773732-4\\_DYNAMIC\\_SERIES\\_CATALOG\\_ENGLISH](#)

Japanese

#### [1-1773732-4\\_DYNAMIC\\_SERIES\\_CATALOG\\_ENGLISH](#)

English

### Product Specifications

#### [Application Specification](#)

English

### Product Environmental Compliance

#### [Product Compliance](#)

English

#### [Product Compliance](#)

English

### Instruction Sheets

#### [Straight Action Hand Tool for Dynamic 4000 Series Contact](#)

Japanese

#### [Instruction Sheet \(non U.S.\)](#)

Japanese

#### [Extraction Tool for Dynamic 4000 Series Connector](#)

Japanese

#### [Instruction Sheet \(non U.S.\)](#)

Japanese

#### [Instruction Sheet \(non U.S.\)](#)



Japanese

[PEW12 HAND TOOL\(D4200-L\) JAPANESE](#)

Japanese

---

[Agency Approvals](#)

[TUV Certificate](#)

English