




Connectors > Automotive Connectors > Automotive Housings > ECONOSEAL, CONNECTOR HOUSING



Connector System: **Wire-to-Wire**

Number of Positions: **8**

Connector & Housing Type: **Housing for Male Terminals**

Centerline (Pitch): **4.8 mm [.189 in]**

Sealable: **Yes**

[All ECONOSEAL, CONNECTOR HOUSING \(108\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Primary Locking Feature	Integrated in Housing

Configuration Features

Number of Positions	8
Number of Rows	2

Electrical Characteristics

Operating Voltage	12 VDC
Nominal Voltage Architecture	12 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black

Contact Features

--	--



Contact Size	1.8mm
Contact Type	Tab
Mating Tab Width	1.8 mm[.071 in]

Mechanical Attachment

Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Polarizing Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT
Centerline (Pitch)	4.8 mm[.189 in]

Dimensions

Connector Height	30.7 mm[1.209 in]
Product Width	27.9 mm[1.098 in]
Product Length	36.5 mm[1.437 in]
Row-to-Row Spacing	10.7 mm, 2.54 mm, 8.31 mm[.1 in][.327 in][.421 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Other

Serviceable	Yes
Connector Position Assurance Capable	No



Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-900325-9
070 RUBBER PLUG M



TE Part # CAT-EC7491-T273
Econoseal Receptacles and Tabs



TE Part # CAT-EC7491-CH8172
ECONOSEAL, CONNECTOR HOUSING



TE Part # 171631-2
070 TAB CONT GOLD



TE Part # 174985-7
8 POS. DL PLATE FOR CAP MK II+

TE Part # 1-174985-1
E-J MK-2 CAP HSG 8P NATURAL

TE Part # 1-174983-1
E-J MK-2 PLUG HSG 8P NATUDRAL

TE Part # 444144-1
KIT ECON 8 POSN TAB

Also in the Series | Econoseal

Automotive Connector Caps & Covers
(1)

Automotive Connector Locks & Position Assurance(25)

Automotive Housings(105)

Automotive Terminals(48)

Connector Seals & Cavity Plugs(19)

Insertion & Extraction Tools(7)

Other Automotive Connector Accessories(5)

PCB Headers & Receptacles(4)

Primary Wire(1)

Also in the Series | Econoseal J - Mark II



Automotive Connector Caps & Covers (1)



Automotive Connector Locks & Position Assurance(29)




Automotive Housings(60)



Connector Seals & Cavity Plugs(10)



Other Automotive Connector Accessories(4)




PCB Headers & Receptacles(1)


Customers Also Bought



TE Part #776266-1
AMPSEAL PCB Horizontal Headers




TE Part #776231-4
35POS,PIN DIA 1.3,HDR ASSY,
180DEG,COD 4




TE Part #175976-2
.040 MLC-2 CAP ASS'Y 28P (H)



TE Part #2822393-1
070 ECONOSEAL MARK-2+ PLUG 8P



TE Part #176122-6
HYBRID CAP ASSY 64P




TE Part #174985-7
8 POS. DL PLATE FOR CAP MK II+



TE Part #174983-7
8 POS DL PLATE FOR PLUG MKII+



TE Part #171366-1
17P HOR CAP HSG WIRE TO PCB



TE Part #1-5174480-1
070 MLC CAP ASS'Y 42P (H)

Documents



Product Drawings

8 POS. CAP MK II+

English

CAD Files

Customer View Model

ENG_CVM_CVM_174984-2_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_174984-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_174984-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Econoseal Connector Series

English

Product Specifications

Product Specification

English

Product Specification

Japanese

Instruction Sheets

ECONOSEAL J MARK II+ CONNECTOR (EJ-MK II+)

English

Customer Manual (non U.S.)

English

ECONOSEAL J MARK II+ CONNECTOR

English

Customer Manual (non U.S.)

English

Agency Approvals

Agency Approval Document

English