

175286-3 ✓ ACTIVE

[Dynamic Series](#) | [Dynamic 3000 Series](#)

TE Internal #: 175286-3

Connector Contact, Tab, Component-to-Wire, 20 – 16 AWG Wire Size, .5 – 1.42 mm² Wire Size, Gold, Reel & Box, Wire & Cable, 15 A, Dynamic 3000 Series

[View on TE.com >](#)



[Connectors >](#) [PCB Connectors >](#) [Wire-to-Board Connectors >](#) [Wire-to-Board Connector Contacts >](#)

Contact: Component To Wire; 15A, 28-14 wire size



Contact Type: **Tab**

Connector System: **Component-to-Wire**

Wire Size: **.5 – 1.42 mm²**

Contact Mating Area Plating Material: **Gold**

[All Contact: Component To Wire; 15A, 28-14 wire size \(91\)](#)

Features

Product Type Features

| | |
|-----------------------------------|-------------------|
| Connector System | Component-to-Wire |
| Connector & Contact Terminates To | Wire & Cable |

Contact Features

| | |
|--------------------------------------|-----------------|
| Mating Tab Width | 2 mm[.08 in] |
| Mating Tab Thickness | .64 mm[.025 in] |
| Contact Type | Tab |
| Contact Mating Area Plating Material | Gold |
| Contact Current Rating (Max) | 15 A |

Dimensions

| | |
|-----------|---------------------------|
| Wire Size | .5 – 1.42 mm ² |
|-----------|---------------------------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

| | |
|---------------------|----------------|
| Circuit Application | Power & Signal |
|---------------------|----------------|

Packaging Features

| | |
|------------------|------------|
| Packaging Method | Reel & Box |
|------------------|------------|



Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

| | | | |
|---|---|---|---|
|  <p>TE Part # CAT-D9934-A75B Receptacle and Tab Housing: 5.08 mm Pitch, 250-600V</p> |  <p>TE Part # CAT-D9934-A75C Receptacle and Tab Housing: 5.08 mm pitch, 600V</p> |  <p>TE Part # CAT-D9934-A75A Receptacle and Tab Housing: 3.81 mm pitch, 250V</p> |  <p>TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp</p> |
|---|---|---|---|




TE Part # 2151018-1
OCEAN_2.0_APPLICATOR-S-090F110F



TE Part # 234168-1
EXTRACTION TOOL(DYNAMIC D-3)



TE Part # 2-2836204-1
OCEAN-2.0-APPLICATOR-S-090F110OV



TE Part # 2-2836204-2
OCEAN-2.0-APPLICATOR-S-090F110OVA



TE Part # 2151018-2
OCEAN_2.0_APPLICATOR-S-090F110F



TE Part # 2836204-1
OCEAN-2.0-APPLICATOR-S-090F110OV



TE Part # 2836204-2
OCEAN-2.0-APPLICATOR-S-090F110OVA



TE Part # 5-2151018-1
OCEAN_2.0_APPLICATOR-S-090F110F



TE Part # 5-2151018-2
OCEAN_2.0_APPLICATOR-S-090F110F



TE Part # 5-2836204-1
OCEAN-2.0-APPLICATOR-S-090F110OV



TE Part # 5-2836204-2
OCEAN-2.0-APPLICATOR-S-090F110OVA



TE Part # 7-2151018-1
OCEAN_2.0_APPLICATOR-S-090F110F



TE Part # 7-2151018-2
OCEAN_2.0_APPLICATOR-S-090F110F



TE Part # 7-2151018-7
OCEAN_2.0_SPARE_PART_KIT-090F110F




TE Part # 7-2836204-1
OCEAN-2.0-APPLICATOR-S-090F110OV




TE Part # 7-2836204-2
OCEAN-2.0-APPLICATOR-S-090F110OVA

Also in the Series | **Dynamic 3000 Series**



Connector Contacts(3)



Insertion & Extraction Tools(1)



PCB Connector Keying(1)



PCB Connector Mounting(8)



PCB Headers & Receptacles(283)



PCB Terminal Blocks(25)



Standard Rectangular Connectors(2)

Wire-to-Board Connector Assemblies
& Housings(152)

Wire-to-Board Connector Contacts(91)

Customers Also Bought

TE Part #1-178317-3
Header Assembly: Wire-to-Board, 15A,
gold or tin platedTE Part #1-178136-3
Header Assembly: Wire-to-Board, 15A,
gold or tin platedTE Part #1-175216-3
DYNAMIC D-3 REC CONT. S AU 0.76 L
/PTE Part #917251-3
DYNAMIC D-3400F HDR ASSY 20P H
/PTE Part #3-582118-0
TEST PROBE REC130 BI BLK GPBRTE Part #1734517-3
STD USB TYPE B, VERTICAL, SMT,
GRD FINGERTE Part #5172040-8
MIC 5POS CAP ASSY H AU

Documents

Product Drawings

[DYNAMIC D-3 TAB CONT. L AU 0.76](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_175286-3_H.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_175286-3_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_175286-3_H.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH](#)

Japanese

[1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_175286-3_10302017157_dmtec](#)

English

[MD_175286-3_10302017157_dmtec](#)

English

Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English

Agency Approvals

[TUV Certificate](#)

English