



Connectors > Power Connectors > Power Contacts



Power Contact Type: **Contact**

Contact Mating Area Plating Material: **Silver**

Connector & Contact Terminates To: **Wire & Cable**

Termination Method to Wire & Cable: **Crimp**

Contact Current Rating (Max): **125 A**

Features

Product Type Features

Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable

Contact Features

Contact Size	Size 4
Contact Mating Area Plating Material	Silver
Contact Current Rating (Max)	125 A
Contact Type	Pin
Contact Retention Within Housing	Without
Mating Pin Diameter	6.35 mm[.25 in]
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material Thickness	5 µm[200 µin]
Wire Contact Termination Area Plating Thickness	5.08 µm[200 µin]
Wire Contact Termination Area Plating Material	Silver
Wire Contact Termination Area Plating Material Finish	Bright



Contact Orientation	Straight
---------------------	----------

Contact Underplating Material	Nickel
-------------------------------	--------

Contact Underplating Material Thickness	1 µm[40 µin]
---	--------------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	250
--------------------	-----

Packaging Method	Bag
------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 6648434-1
CONTACT,SKT,SIZE 1/4 (712-81-01107)




TE Part # 6648335-1
CONTACT,SKT



TE Part # 1643922-1
713-19-00100=REMOVAL TOOL,#4




TE Part # 6648435-1
CONTACT,SKT,SIZE #4




TE Part # 6648335-2
CONTACT,SKT

Also in the Series | ELCON Drawer




PCB Connector Mounting(1)



Power Contacts(35)



Rectangular Connector Hardware(1)



Rectangular Power Connectors(32)

Customers Also Bought



TE Part #T4171010003-001
M12,REAR MOUNTING,MALE,A,3P,0.2 M WIRE



TE Part #487526-4
005 HOUSING FFC RCPT 100CL SR



TE Part #6648434-1
CONTACT,SKT,SIZE 1/4 (712-81-01107)



TE Part #6648167-1
CONN,SKT,75Amp MIDDLE DWR



Documents

Product Drawings

[CONTACT,PIN, .25 DIA](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1766232-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1766232-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1766232-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED](#)

English

[AMP & ELCON Power Connector Layout Forms Datasheet 6-1773444-7](#)

English

[1-1773875-1_FORGE_DRAWER_CONNECTORS_CN](#)

[CORCOM_DB_SERIES](#)

English

[3-1773463-3_FORGE_DRAWER_CONNECTORS](#)



English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance Document](#)

English

[Product Compliance Document](#)

English