



MQS

TE Internal #: 1823111-1

Single Wire Seal (SWS), Silicone, Brown, 8.5 mm [.334 in] Cavity Diameter, .118 in [3 mm] Insulation Diameter, MQS

[View on TE.com >](#)

Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal (SWS)**

Primary Product Material: **Silicone**

Primary Product Color: **Brown**

Cavity Diameter: **8.5 mm [.334 in]**

Compatible Insulation Diameter Range: **3 mm [.118 in]**

Features

Product Type Features

Connector Seal & Plug Type	Single Wire Seal (SWS)
----------------------------	------------------------

Body Features

Primary Product Material	Silicone
Primary Product Color	Brown

Dimensions

Cavity Diameter	8.5 mm [.334 in]
Compatible Insulation Diameter Range	3 mm [.118 in]

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C [149 °F][158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C [-40 – 266 °F]

Industry Standards

--	--



UL Flammability Rating	None
------------------------	------

Other

Resistance to Hydrocarbons	Poor
----------------------------	------

Shore A Hardness	50
------------------	----

Contains Lubricant	Yes
--------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-H3399-CH8172
Heavy Duty Sealed Connector Series Housings



TE Part # 1-2112502-1
38POS, MIXED, REC HSG, ASSY, SEALED



TE Part # CAT-AM705-T273
AMP MCP, RECEPTACLE AND TAB



TE Part # 2301461-1
30POS, HYBRID, TAB HSG ASSY, SLD, COD A



TE Part # 2301462-1
30POS, HYBRID, REC HSG ASSY, SLD, COD A



TE Part # 1-2344950-1
95POS, HYBRID, REC HSG, ASSY, COD A



TE Part # 2-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, COD. B



TE Part # 2-2344950-1
95POS, HYBRID, REC HSG, ASSY, COD B



TE Part # 2209520-6
46POS. REC HOUSING ASSY



TE Part # 2301461-2
30POS, HYBRID, TAB HSG ASSY, SLD, COD B



TE Part # 3-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, COD. C



TE Part # 4-1564536-1
4POS, TAB5.8X0.8, TABHSG, ASSY, COD. D


Also in the Series | **MQS**




Automotive Connector Caps & Covers (138)




Automotive Connector EMC Shielding (3)




Automotive Connector Locks & Position Assurance (30)




Automotive Housings (507)




Automotive Terminals (104)



Connector Seals & Cavity Plugs (31)



Insertion & Extraction Tools (42)



Other Automotive Connector Accessories (10)



PCB Headers & Receptacles(213)

Customers Also Bought



TE Part #1719043-1
SINGLE WIRE SEAL, GREEN



TE Part #2177018-1
SINGLE WIRE SEAL, AMP MCP6.3/4.8K, YW



TE Part #2297813-3
BASE ASSY, 27 POSN ISO FUSE AND RELAY



TE Part #1924678-1
26P SMT LAC HDR ASY, KEY AE, Hand Mate



TE Part #1241416-1
AMP MCP 6.3/4.8K, CONTACT, SWS




TE Part #5-968220-5
MQS0,63 Au rec CB unseal. 0,2-0,35




TE Part #2098164-4
Cover, 60 Pos, No Fuse Graphic or Holder



TE Part #1456968-4
CONTACT, FEMALE, 0.64, 18 AWG, AG



TE Part #2372334-1
REM0.64 Terminal



TE Part #344107-1
18W EMS.REC.ANTI-BACKOUT

Documents

Product Drawings

[SINGLE WIRE SEAL, FOR WIRE 2.5SQMM, BN](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_1823111-1_A.2d_dxf.zip](#)

1823111-1

Single Wire Seal (SWS), Silicone, Brown, 8.5 mm [.334 in] Cavity Diameter, .118 in [3 mm] Insulation Diameter, MQS



English

Customer View Model

[ENG_CVM_CVM_1823111-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1823111-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[HDSCS Catalog](#)

English

[CONNECTOR SELECTOR](#)

English