

# MSP103C04 ✓ ACTIVE

Alcoswitch | Alcoswitch MSP3


TE Internal #: 1825516-2

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Alcoswitch MSP3

[View on TE.com >](#)



Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): **Single Pole - Single Throw**

Push Button Switch Product Type: **Switch**

Number of Actuators: **Single**

Actuator Profile: **Extended**

Bushing Style: **Threaded**

## Features

### Product Type Features

Switch Type	Pushbutton
Dust Proof	No
Push Button Switch Product Type	Switch
Illuminated	No
Actuator Style	Round

### Configuration Features

ESD Grounding Terminal	Without
Ganged	No
	.253 in
Configuration (Pole-Throw)	Single Pole - Single Throw
Number of Actuators	Single
Snap Action	Without
Support Bracket	Without
Tactile	No

Operating Function	NO, Momentary
--------------------	---------------

### Electrical Characteristics

Push Button Switch Voltage Rating	125 VAC
-----------------------------------	---------

### Body Features

Case Material	Phenol Resin
---------------	--------------

Actuator Material	Thermoplastic
-------------------	---------------

Actuator Profile	Extended
------------------	----------

Bushing Style	Threaded
---------------	----------

Bushing Thread Size	1/4-40
---------------------	--------

Actuator Color	Red
----------------	-----

### Contact Features

Contact Base Material	Copper Alloy
-----------------------	--------------

Push Button Switch Contact Current Rating	3 A
---	-----

Switch Contact Plating Material	Silver
---------------------------------	--------

### Termination Features

Termination Type	Wire Lugs
------------------	-----------

### Mechanical Attachment

Mounting Angle	Vertical
----------------	----------

Thread Size	1/4-40 UNS-2A
-------------	---------------

Push Button Switch Mounting Type	Panel
----------------------------------	-------

### Housing Features

Low Profile	No
-------------	----

Process Sealed	No
----------------	----

### Dimensions

Actuator Length	2.5 mm[.098 in]
-----------------	-----------------

Button Width	3.98 mm[.157 in]
--------------	------------------

Bushing Length	5.94 mm[.234 in]
----------------	------------------

### Usage Conditions

Temperature Rating	Standard
--------------------	----------

### Packaging Features

Packaging Method	Bulk
------------------	------



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (1.82% in Component Part) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



 <p>TE Part # 1825516-1 MSP103B04</p>	 <p>TE Part # 1825516-3 MSP103C004</p>	 <p>TE Part # 1825516-4 MSP103C204</p>	 <p>TE Part # 1825333-2 MSP103C0G04 Pushbutton switch</p>
--	--	---	--

## Also in the Series | Alcoswitch MSP3



Push Button Switches(4)

## Customers Also Bought

TE Part #583859-1  
HOUSING CSTL 156 C/L 28 POSTE Part #747080-2  
LATCH BLOCK/PACKAGED/.090 PANLTE Part #1-480704-9  
06P UMNL PLUG HSG BLKTE Part #1393771-5  
JWD-107-5=REED RELAYSTE Part #6-1437558-8  
MTE106D=(MSTE) SW TOG  
WATERPROTE Part #1-201692-6  
CNTR FASTENER PLUG BLOCK,104PTE Part #202119-2  
PIN HOODTE Part #8-34162-1  
TERMINAL,PG R 16-14 1/4TE Part #2378745-1  
SDE F UMNL/MNL 14-20AWG ASSYTE Part #2378745-2  
SDE F UMNL/MNL 14-20AWG DIE SET

## Documents

### Product Drawings

MSP103C04

English

### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1825516-2\_C.2d\_dxf.zip



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1825516-2\\_C.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1825516-2\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Product Environmental Compliance**

**TE Material Declaration**

English