

1827569-2 ✓ ACTIVE

[Dynamic Series](#) | [Dynamic 1000 Series](#)

TE Internal #: 1827569-2

Connector Contact, Receptacle, Component-to-Wire, 30 – 28 AWG

Wire Size, .05 – .09 mm² Wire Size, Gold, Reel & Box, Wire & Cable,

Dynamic 1000 Series

[View on TE.com >](#)



[Connectors](#) > [PCB Connectors](#) > [Wire-to-Board Connectors](#) > [Wire-to-Board Connector Contacts](#) >

Contact: Component To Wire; 3-5A, 30-18 Wire Size



Contact Type: **Receptacle**

Connector System: **Component-to-Wire**

Wire Size: **.05 – .09 mm²**

Contact Mating Area Plating Material: **Gold**

All Contact: Component To Wire; 3-5A, 30-18 Wire Size (30)

Features

Product Type Features

Connector System	Component-to-Wire
Connector & Contact Terminates To	Wire & Cable

Contact Features

Mating Tab Width	.7 mm[.027 in]
Mating Tab Thickness	.5 mm[.02 in]
Contact Type	Receptacle
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	5 A

Dimensions

Wire Size	.05 – .09 mm ²
-----------	---------------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

--	--



Packaging Method	Reel & Box
------------------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1827864-0
DYNAMIC 1200D REC HSG 20P X BLACK



TE Part # 1-1827863-0
DYNAMIC 1100D REC HSG X 40P BL



TE Part # 1891526-1
EXTRACTION TOOL FOR DYNAMIC 1000 SERIES



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp




TE Part # CAT-D9934-A15
Contact: Component To Wire; 3-5A, 30-18 Wire Size



TE Part # 2151110-1
OCEAN_2.0_APPLICATOR-S-036F057F



KIT
REPRESENTATION ONLY

TE Part # 7-2151110-7
OCEAN_2.0_SPARE_PART_KIT-036F057F



TE Part # 1-2333134-1
DYNAMIC 1100D REC HSG 22P X BLACK 33%GF



TE Part # 2151110-2
OCEAN_2.0_APPLICATOR-S-036F057FA



TE Part # 7-2151110-1
OCEAN_2.0_APPLICATOR-S-036F057F




TE Part # 7-2151110-2
OCEAN_2.0_APPLICATOR-S-036F057FA




TE Part # 2-2151110-1
OCEAN_2.0_APPLICATOR-S-036F057F

Also in the Series | **Dynamic 1000 Series**




Connector Contacts(1)



Insertion & Extraction Tools(2)




PCB Connector Keying(1)




PCB Connector Mounting(2)




PCB Headers & Receptacles(173)




Rectangular Connector Housings(2)



Standard Rectangular Connectors(1)



Wire-to-Board Connector Assemblies & Housings(157)



Wire-to-Board Connector Contacts(39)

Customers Also Bought



TE Part #1-1903128-0
DYNAMIC 1100D TAB HSG 40P P/M



TE Part #1-1827864-4
DYNAMIC 1200D REC HSG 8P X
BLACK



TE Part #1827570-2
DYNAMIC D1000 REC CONT M AU
0.38um FORM



TE Part #1747443-6
DYNAMIC D-5 TAB CONTACT_L-SIZE



TE Part #1-175195-2
DYNAMIC D-3 REC CONT/M AU 0.38



TE Part #170289-1
MIC REC LP



TE Part #171830-1
MIC CAP 21P WITH FLANGE

Documents

Product Drawings

[DYNAMIC D1000 REC CONT S AU 0.38um FORM](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1827569-2_G.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1827569-2_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1827569-2_G.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH](#)

Japanese

[1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH](#)

English

Product Specifications

[Application Specification](#)

English



Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

MULTIPLE ENCLOSURE 67M D1100 24POS. REC PLUG

Japanese

Instruction Sheet (non U.S.)

Japanese

Instruction Sheet (non U.S.)

Japanese

MULTIPLE ENCLOSURE 67M D1200 15POS. REC PLUG

Japanese

MULTIPLE ENCLOSURE 65M D1100 32POS

Japanese

Instruction Sheet (non U.S.)

Japanese

Instruction Sheet (non U.S.)

Japanese

Agency Approvals

TUV Certificate

English