

Z-PACK | Z-PACK 2mm HM

TE Internal #: 1857990-1 Hard Metric Backplane Connectors, PCB Mount Receptacle, 1 Gb /s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors



PCB Connector Assembly Type: PCB Mount Receptacle

Data Rate: 1 Gb/s

Number of Columns: 25

Number of Rows: 5

Backplane Architecture: Traditional Backplane

Features



Product Type Features

PCB Connector Assembly Type	PCB Mount Receptacle			
Connector System	Board-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Columns	25			
Number of Rows	5			
Backplane Architecture	Traditional Backplane			
Number of Positions	125			
PCB Mount Orientation	Right Angle			
Signal Characteristics				
Data Rate	1 Gb/s			
Body Features				
Primary Product Color	Gray			

C For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Receptacle, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM



Contact Features

CompactPCI Designation	None	
Contact Underplating Material	Nickel	
Contact Base Material	Phosphor Bronze	
Contact Mating Area Plating Material	Gold	
Contact Mating Area Plating Material Thickness	.76 μm[29.92 μin]	
Contact Current Rating (Max)	1.5 A	
Mechanical Attachment		
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Glass Filled Polyester	
Centerline (Pitch)	2 mm[.079 in]	
Usage Conditions		
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]	
Operation/Application		
Circuit Application	Signal	

Industry Standards

UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	11
Packaging Method	Tube
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900

C For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Receptacle, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM



ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series Z-PACK 2mm HM


	and the second s		
Backplane Coding Keys(60)	Backplane Connector Housings(4)	Backplane Guide Hardware(37)	Backplane Power Connectors(6)
A second se			
Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)

Hard Metric Backplane Connectors, PCB Mount Receptacle, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM





Customers Also Bought



Documents

Product Drawings Z-PACK/B F-HDR.125P, EON

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1857990-1_A.2d_dxf.zip

Hard Metric Backplane Connectors, PCB Mount Receptacle, 1 Gb/s, 25 Column, 5 Row, Traditional Backplane, 125 Position, Z-PACK 2mm HM



English

Customer View Model ENG_CVM_CVM_1857990-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1857990-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD_1857990-1_08092017631_dmtec

English

MD_1857990-1_08092017631_dmtec

English