BACA-AMP-241 ~ ACTIVE

AMP SLIM

TE Internal #: 1909784-1 Connector Contact, Socket, Wire-to-Board, 30 – 28 AWG Wire Size, .05 – .08 mm² Wire Size, Gold Flash, Reel, Wire & Cable, 2 A, Signal, AMP SLIM

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts



Contact Type: Socket

Connector System: Wire-to-Board

Wire Size: .05 – .08 mm²

Contact Mating Area Plating Material: Gold Flash

Features

Product Type Features



Product Type Features	
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Operating Voltage	50 VAC
Contact Features	
Mating Tab Width	1.06 mm[.041 in]
Mating Tab Thickness	.2 mm[.008 in]
Wire Contact Termination Area Plating Material	Nickel
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Gold Flash
Contact Current Rating (Max)	2 A

BACA-AMP-241

Connector Contact, Socket, Wire-to-Board, 30 – 28 AWG Wire Size, .05 – .08 mm² Wire Size, Gold Flash, Reel, Wire & Cable, 2 A, Signal, AMP SLIM



Termination Features

Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Dimensions	
Wire Size	$.0508 \text{ mm}^2$
Usage Conditions	
Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	20000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

BACA-AMP-241

Connector Contact, Socket, Wire-to-Board, 30 – 28 AWG Wire Size, .05 – .08 mm² Wire Size, Gold Flash, Reel, Wire & Cable, 2 A, Signal, AMP SLIM



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2-2151977-1 OC-PA-S-FM-032F033F-001-0128




TE Part # 2-2151977-2 OC-PA-S-FA-032F033F-001-0128



TE Part # 2151977-1 OC-AT-S-FM-032F033F-001-0128




TE Part # 2151977-2 OC-AT-S-FA-032F033F-001-0128



Also in the Series | AMP SLIM





Customers Also Bought



BACA-AMP-241

Connector Contact, Socket, Wire-to-Board, 30 – 28 AWG Wire Size, .05 – .08 mm² Wire Size, Gold Flash, Reel, Wire & Cable, 2 A, Signal, AMP SLIM





Documents

Product Drawings

WIRE TO BOARD TERMINAL 1.2MM TOP ENTRY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1909784-1_B2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1909784-1_B2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1909784-1_B2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English