

1924464-1 ✓ ACTIVE

AMP | AMPSEAL 16

TE Internal #: 1924464-1

Automotive Terminals, Socket, Pin Diameter 1.59 mm [.063 in], 20 – 18 AWG Wire Size, .51 – .82 mm² Wire Size, Gold (Au) Interface Plating, AMPSEAL 16

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > Contacts: Size 16, 13A



Terminal Type: **Socket**

Mating Pin Diameter: 1.59 mm [.063 in]

Terminal Transmits: 0 – 24 A (Low Power)

Wire Size: .51 – .82 mm²

[All Contacts: Size 16, 13A \(33\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body


Contact Features

Contact Size	Size 16
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	13 A
Crimp Type	F-Crimp
Terminal Type	Socket
Mating Pin Diameter	1.59 mm [.063 in]
Interface Plating	Gold (Au)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions





Compatible Insulation Diameter Range	2.26 – 3.32 mm [.089 – .131 in]
Wire Size	.51 – .82 mm ²
Wire Size Search	18 AWG, 19 AWG, 20 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 – 120 °C [-40 – 248 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	4000
Packaging Method	Package

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AM7801-CH8172
AMPSEAL 16 Housings



TE Part # 2119118-1
SDE Commercial Tool & Die



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 1924463-1
PIN, SF, SIZE 16, 18-20 AWG, AU/SN Crimp



TE Part # 2-2151962-1
OCEAN-2.0-APPLICATOR-S-080F125O



TE Part # 2-2151962-2
OCEAN-2.0-APPLICATOR-S-080F125OA



TE Part # 2119118-2
SDE Commercial Tool & Die



TE Part # 2151962-1
OCEAN-2.0-APPLICATOR-S-080F125O



TE Part # 2151962-2
OCEAN-2.0-APPLICATOR-S-080F125OA



TE Part # 5-2151962-1
OCEAN-2.0-APPLICATOR-S-080F125O



TE Part # 5-2151962-2
OCEAN-2.0-APPLICATOR-S-080F125OA



TE Part # 7-2151962-1
OCEAN-2.0-APPLICATOR-S-080F125O



TE Part # 7-2151962-2
OCEAN-2.0-APPLICATOR-S-080F125OA



KIT
REPRESENTATION ONLY
TE Part # 7-2151962-7
OCEAN_2.0_SPARE_PART_KIT-080F125O

Also in the Series | **AMPSEAL 16**



Automotive Connector Caps & Covers (1)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(244)



Automotive Terminals(33)



Connector Backshells(84)



Connector Seals & Cavity Plugs(4)



Data Connectivity Headers(2)



Data Connectivity Housings(3)



Other Automotive Connector Accessories(11)


Customers Also Bought




TE Part #776539-1
AMPSEAL 16 Housings



TE Part #4001955-ZZ
HYDRAFORCE DT06-08SA KIT



TE Part #A97570-000
CPH100325WE1-T200



TE Part #C34252-000
ES1000-NO.3-B8-X-55MM



TE Part #0830956003
RBK-85-NR5100/A-X-12MM

Documents



Product Drawings

[SOC, SF, SIZE 16, 18-20 AWG, AU/SN](#)

English

[SOC, SF, SIZE 16, 18-20 AWG, AU/SN](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1924464-1_B_c-1924464-1-b.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1924464-1_B_c-1924464-1-b.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1924464-1_B_c-1924464-1-b.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ICT Terminals and Connectors Catalogue](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Product Specification](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English