


Generation Y Connector System

TE Internal #: 1924667-1 Housing for Female Terminals, Wire-to-Wire / Wire-to-Board / Wireto-Device, 13 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System

View on TE.com >

Connectors > Automotive Connectors > Automotive Housings



Connector System: Wire-to-Board, Wire-to-Device, Wire-to-Wire

Number of Positions: 13

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 2.54 mm [.1 in]

Sealable: No

Features

Product Type Features

Mixed & Hybrid Connector	Yes	
Connector Shape	Rectangular	
Connector System	Wire-to-Board, Wire-to-Device, Wire-to- Wire	
Connector & Housing Type	Housing for Female Terminals	
Sealable	No	
Primary Locking Feature	Integrated in Housing	
Configuration Features		
Number of Positions	13	
Number of Rows	2	
Body Features		
Cable Exit Angle	180°	
Primary Product Color	Black	
Connector & Keying Code	A	
Contact Features		
Contact Size	.64mm, 2.8mm	
Contact Type	Receptacle	
Mating Tab Width	.64 mm, 2.8 mm[.025 in][.11 in]	



Housing for Female Terminals, Wire-to-Wire / Wire-to-Board / Wire-to-Device, 13 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System



Mechanical Attachment

Terminal Position Assurance	Yes			
Strain Relief	Without			
Mating Alignment Type	Keyed			
Mating Alignment	With			
Connector Mounting Type	Cable Mount (Free-Hanging)			
Housing Features				
Housing Material	PBT GF			
Centerline (Pitch)	2.54 mm[.1 in]			
Dimensions				
Connector Height	19.8 mm[.78 in]			
Product Width	24.7 mm[.972 in]			
Product Length	33.9 mm[1.335 in]			
Row-to-Row Spacing	2.54 mm[.1 in]			
Usage Conditions				
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C [158 °F][167 °F][176 °F][185 °F][194 °F][212 ° F]			

Operating Temperature Range

-40 - 100 °C[-40 - 212 °F]

Operation	/App	lication
-----------	------	----------

Circuit Application	Signal				
Packaging Features					
Packaging Quantity	250				
Packaging Method	Package				
Other					
Serviceable	Yes				
Connector Position Assurance Capable	No				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				

Housing for Female Terminals, Wire-to-Wire / Wire-to-Board / Wire-to-Device, 13 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System




EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Generation Y Connector System


Housing for Female Terminals, Wire-to-Wire / Wire-to-Board / Wire-to-Device, 13 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System








Customers Also Bought



.070 NEW GEN RCPT CONT 0.75 T	MCON 1.2 CB REC SRC AU	32WAY LAC RECEPTACLE CARRIER H	32WAY LAC SHIELD ASSEMBLY 70 D
TE Part #1745011-1 PANEL HOOK	TE Part #2236047-2 32POS,MIXED,RECEPTACLE CONNECTOR,COD B	TE Part #2272010-2 Plug Assembly, 16P GET, w/ CPA	TE Part #2819293-1 PIVOTED ARM ASSEMBLY



Documents

Housing for Female Terminals, Wire-to-Wire / Wire-to-Board / Wire-to-Device, 13 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System



Product Drawings

13p Hybrid - 1pc Unsealed Plug, Key A

English

13p Hybrid - 1pc Unsealed Plug, Key A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1924667-1_D.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_1924667-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1924667-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets Instruction Sheet (U.S.)

English