TE Internal #: 1969357-1


Cluster Blocks, 2 Circuits, Polyester PBT, 22 – 10 AWG Wire Size, .

326 – 5.26 mm² Wire Size, -4 – 248 °F [-20 – 120 °C]

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Cluster Blocks











Number of Circuits: 2

Primary Product Material: Polyester PBT

Wire Size: .326 – 5.26 mm²

Operating Temperature Range: -20 - 120 °C [-4 - 248 °F]

Features

Product Type Features

Product Type Features	
Compatible With Discrete Wire Type	Lead Wire
Configuration Features	
Number of Circuits	2
Body Features	
Primary Product Color	Natural
Primary Product Material	Polyester PBT
Contact Features	
Mating Pin Diameter	2.29 mm[.09 in]
Mechanical Attachment	
Block Mounting Configuration	2 Forward - 1 Back
Mount Diameter	13.46 mm[.53 in]
Dimensions	
Product Length	22.45 mm[.884 in]
Wire Size	$.326 - 5.26 \text{ mm}^2$

Usage Conditions



Operating Temperature Range	-20 - 120 °C[-4 - 248 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought



HK4/0-004-M,WITH ONE SLOT SCREW



TE Part #T2100042201-000 HK4/0-004-F, WITH ONE SLOT SCREW



H16B-KDBP





TE Part #T2050001025-000



TE Part #T2050002016-000



TE Part #T2111028101-000 HMN-D2-MC





Documents

Product Drawings

HSG .090 CLUSTER BLOCK 2 POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1969357-1_A_c-1969357-1-a.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_1969357-1_A_c-1969357-1-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1969357-1_A_c-1969357-1-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English