

FASTON | FASTON 250

TE Internal #: 1969507-9 Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Flag, UL 94V-0, White, Nylon, Cable Mount (Free-Hanging), Carton, FASTON 250

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: Receptacle

Connector & Housing Type: Receptacle

Number of Positions: 1

Terminal Orientation: Flag

UL Flammability Rating: UL 94V-0

Features

connectivity

Product Type Features

Sealable	No					
Connector & Housing Type	Receptacle					
Configuration Features						
Number of Positions	1					
Body Features						
Primary Product Color	White					
Contact Features						
Terminal Type	Receptacle					
Terminal Orientation	Flag					
Contact Mating Retention	Without					
Mechanical Attachment						
Mating Alignment	Without					
Connector Mounting Type	Cable Mount (Free-Hanging)					

1969507-9

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Flag, UL 94V-0, White, Nylon, Cable Mount (Free-Hanging), Carton, FASTON 250



Housing Features Nylon Housing Material **Usage Conditions** Operating Temperature Range -40 – 130 °C[-40 – 266 °F] **Industry Standards** UL Flammability Rating UL 94V-0 **Packaging Features** Packaging Method Carton Other Crimp Terminal Housing Comment Glow Wire Version **Product Compliance** For compliance documentation, visit the product page on TE.com> Compliant EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023

Halogen Content

Solder Process Capability

(235)

Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


1969507-9

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Flag, UL 94V-0, White, Nylon, Cable Mount (Free-Hanging), Carton, FASTON 250





Also in the Series | FASTON 250



PCB Terminals(135)	Quick Disconnects(445)	Splices(4)	

Customers Also Bought



1969507-9

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Flag, UL 94V-0, White, Nylon, Cable Mount (Free-Hanging), Carton, FASTON 250





Documents

Product Drawings 250 FASTON HSG., FLAG, REC., 1 POS, NATRUAL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1969507-9_B4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1969507-9_B4.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1969507-9_B4.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance MD_1969507-9_1208201815_dmtec

English

MD_1969507-9_1208201815_dmtec

English