




GRACE INERTIA 2.0

TE Internal #: 1971030-5
Rectangular Connector Housings, Wire-to-Board, 5 Position, .079 in [2 mm] Centerline, 1 Row, Nylon 66 GF, Plug, Socket, GRACE INERTIA 2.0

[View on TE.com >](#)

Connectors > Rectangular Connectors > Rectangular Connector Housings > STD Temp Sig GRACE INERTIA Plug



Connector System: **Wire-to-Board**
Number of Positions: **5**
Centerline (Pitch): **2 mm [.079 in]**
Number of Rows: **1**
Housing Material: **Nylon 66 GF**

[All STD Temp Sig GRACE INERTIA Plug \(63\)](#)

Features

Product Type Features

Connector System	Wire-to-Board
Connector & Housing Type	Plug
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Cavities	5
Number of Positions	5
Number of Rows	1

Electrical Characteristics

Operating Voltage	50 VAC
-------------------	--------

Contact Features

Contact Layout	Inline
----------------	--------



Contact Type

Socket

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Color	Natural
Centerline (Pitch)	2 mm[.079 in]
Housing Material	Nylon 66 GF

Dimensions

Connector Height	7.9 mm[.311 in]
Product Width	6.75 mm[.266 in]
Product Length	11.54 mm[.454 in]

Usage Conditions

Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Halogen Free	No
Circuit Application	Signal

Identification Marking

Circuit Identification Feature	Without
--------------------------------	---------

Industry Standards

Agency/Standard	UL
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	400
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)







Candidate List Declared Against: JUNE 2023 (235)
Does not contain REACH SVHC

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # CAT-G7534A-P729 STD Temp Sig GRACE INERTIA Plug</p>	 <p>TE Part # 2367943-5 GI2.0EV VT SMT Poting HDR,NTL,Key A,5P</p>	 <p>TE Part # 2400014-5 GIC2.0 EV CAP HOUSING 5 POS. NATURAL</p>	 <p>TE Part # 2232823-5 SGI2.0 RA SMT HEADER PIN</p>
--	--	---	---

Also in the Series | GRACE INERTIA 2.0

 <p>PCB Headers & Receptacles(70)</p>	 <p>Rectangular Connector Housings(20)</p>	 <p>Standard Rectangular Connectors(18)</p>	 <p>Wire-to-Board Connector Assemblies & Housings(1)</p>
--	--	--	---



Customers Also Bought

TE Part #2391865-2
250 sleeve PL YELLOW transparent

TE Part #1746977-1
GRACE INERTIA CONNECTOR 6.2 MM PITCH 2P C

TE Part #1981973-1
GIC2.5W CAP HOUSING 12POS (2-ROW) NAT

TE Part #1376476-1
2.5 SIGNAL MATE REC CONTACT

TE Part #353255-1
110 HSG. PL EX REC. 7.6mm 3P NAT

TE Part #1871571-1
GIC 3.3 HDR ASSY 12POS KINK

TE Part #1871859-2
GIC 2.5 REC CONT TIN PLATE TYPE (MTYPE)

TE Part #2-1871571-3
GIC 3.3 HEADER ASSY 12POS

Documents

Product Drawings
5POS Plug Housing for GIC 2.0 EV Series
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1971030-5_F_c-1971030-5-f.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_1971030-5_F_c-1971030-5-f.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1971030-5_F_c-1971030-5-f.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Product Specifications

Application Specification

English

Product Environmental Compliance

MD_1971030-5_06012018036_dmtec

English

MD_1971030-5_06012018036_dmtec

English