

CROWN CLIP Junior

TE Internal #: 1982995-1

Busbar Connectors, Board-to-Bus Bar, 2 Position, Printed Circuit Board / Bus Bar, Thermoplastic, Black, Mating Alignment, CROWN

CLIP Junior

View on TE.com >





Connectors > Power Connectors > Power Busbar Connectors > Busbar Connectors











Connector System: Board-to-Bus Bar

Number of Positions: 2

Connector & Contact Terminates To: Bus Bar, Printed Circuit Board

Mating Conductor Thickness: 3 mm [.118 in]

Contact Underplating Material Thickness

Housing Material: Thermoplastic

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Board-to-Bus Bar
Connector & Contact Terminates To	Bus Bar, Printed Circuit Board
Configuration Features	
Number of Positions	2
PCB Mount Orientation	Right Angle
Mating & Unmating Configuration	Hot Pluggable
Electrical Characteristics	
Operating Voltage	600 VAC
Body Features	
Bus Bar Contact Plating Material	Tin
Contact Features	

1.27 μm[50 μin]



	2 [440] : 1
Contact Mating Area Plating Material Thickness	3 μm[118 μin]
Contact Shape & Form	Multiple Contact Point
Contact Underplating Material	Nickel
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	170 A
Contact Length	31.4 mm[.123 in]
Bus Bar Contact Style	Socket
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Screw
Mechanical Attachment	
Mating Alignment Type	Blindmate
Mating Alignment	With
Bus Bar Connector Mounting Retention	With
PCB Mount Retention Type	Mounting Ears, Mounting Hole
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic
Housing Color	Black
Dimensions	
Connector Height	24.27 mm[.956 in]
PCB Thickness (Recommended)	1 – 5 mm[.039 – .197 in]
Product Width	24 mm[.945 in]
Product Length	31.4 mm
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
Agency/Standard	UL
Packaging Features	
Packaging Method	Box & Carton, Box & Tray



Power Connectors Comment	Right Angle Mounting Flange
Mating Conductor Thickness	3 mm[.118 in]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | CROWN CLIP Junior





Customers Also Bought













Documents

Product Drawings

CROWN CLIP JUNIOR SCREW-MOUNT CONN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1982995-1_A4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1982995-1_A4.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1982995-1_A4.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use



Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC05_BUSBAR

English

Busbar Power Brochure

English

CROWN CLIP JUNIOR Direct Power Connection for Bus Bars Catalog 1654261-8

English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_1982995-1_11262013735_dmtec

English

MD_1982995-1_11262013735_dmtec

English

Agency Approvals

UL Report

English