


#### Buchanan

TE Internal #: 1986300-4 PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size

#### View on TE.com >

Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



Terminal Block Connector Type: Plug

Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 5 mm [.197 in ]

Number of Rows: 1

# Features

connectivity

### Product Type Features

Terminal Block Connector Type	Plug
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Wire Entry Location	Тор
Stacking Configuration	Side Stackable
Number of Positions	4
Number of Rows	1
Wire Entry Angle	180°
Electrical Characteristics	
Operating Voltage	300 VAC
Body Features	
Primary Product Color	Green
Product Orientation	Vertical

### 1986300-4

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size



#### **Contact Features**

Contact Mating Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	16 A
Mechanical Attachment	
Screw Plating Material	Zinc
Screw Material	Steel
Housing Features	
Housing Material	PA 66
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Wire Size	.2 – 2 mm <sup>2</sup>
Usage Conditions	
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

### 1986300-4

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size




EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # 284046-4 TERMI-BLOK VERTICAL PLUG STACK

# Customers Also Bought



	- 1E			- / E	
TE Part #6609021-2	TE Part #4-2176460-9	TE Part :	#1-5435802-5	TE Part #5-2176483-0	
1VB3=F7121 S0	SMD Power Resistor: 7 Watt, 200-2M Ohm	RIGHT A	ANGLE DIP SW 4 P SEALED	RA73F 2A 1K78 0.1% 5K RL	



## Documents

Product Drawings

Plug, 5.0mm, Gn, Sws & WE same side, 4p

English

#### **CAD** Files

Customer View Model

ENG\_CVM\_1986300-4\_A.3d\_igs.zip

### 1986300-4

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size



English

Customer View Model ENG\_CVM\_1986300-4\_A.3d\_stp.zip

\_ \_ \_

English

**Customer View Model** 

ENG\_CVM\_1986300-4\_A.2d\_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_1986300-4\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1986300-4\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1986300-4\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages 1-1773458-1\_EURO\_STYLE\_TERMINAL\_BLOCKS\_QRG

English

#### FRONT\_STYLE\_TERMINAL\_BLOCK\_PLUGS

English